











P <sub>1</sub> [kW]	n <sub>2</sub> [Min <sup>-1</sup> ]	M <sub>2</sub> [Nm]	f <sub>B</sub>	i <sub>ges</sub>	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg	 mm				
<b>0.09</b>	2.8	297	1.2	314.13	6.0	6.0	D 303 - 63M/6 M 303 - 63M/6	26	78				
	3.4	242	1.5	256.27	6.0	6.0							
	4.0	205	1.8	217.41	6.0	6.0							
	4.4	187	2.0	198.40	6.0	6.0							
	4.9	167	2.2	177.36	6.0	6.0							
	6.3	130	2.8	137.31	6.0	6.0							
	7.4	111	3.3	117.10	6.0	6.0							
<b>0.12</b>	4.3	248	1.4	314.13	6.0	6.0	D 303 - 63M/4A M 303 - 63M/4A	25	78				
	5.3	202	1.7	256.27	6.0	6.0							
	6.3	172	2.0	217.41	6.0	6.0							
	6.9	157	2.2	198.40	6.0	6.0							
	7.7	140	2.5	177.36	6.0	6.0							
	9.9	108	3.2	137.31	6.0	6.0							
	11.7	92	3.8	117.10	6.0	6.0							
		2.8	395	0.9	314.13	6.0	6.0	D 303 - 63M/6B M 303 - 63M/6B	25	78			
		3.4	323	1.1	256.27	6.0	6.0						
		4.0	274	1.3	217.41	6.0	6.0						
		4.4	250	1.5	198.40	6.0	6.0						
		4.9	223	1.6	177.36	6.0	6.0						
		6.3	173	2.1	137.31	6.0	6.0						
		7.4	147	2.5	117.10	6.0	6.0						
9.1	120	3.1	95.53	6.0	6.0								
<b>0.15</b>	3.5	387	0.9	256.27	6.0	6.0	D 303 - 63M/6C M 303 - 63M/6C	26	78				
	4.1	329	1.1	217.41	6.0	6.0							
	4.5	300	1.2	198.40	6.0	6.0							
	5.1	268	1.4	177.36	6.0	6.0							
	6.6	208	1.8	137.31	6.0	6.0							
	7.7	177	2.1	117.10	6.0	6.0							
	9.4	144	2.5	95.53	6.0	6.0							
	12.2	112	3.3	73.96	6.0	6.0							
	<b>0.18</b>	12.2	137	2.7	73.89	6.0				6.0	D 302 - 71M/6A M 302 - 71M/6A	27	78
15.3		109	3.4	58.73	6.0	6.0							
17.0		98	3.7	53.04	6.0	6.0							
		8.9	175	1.5	314.13	6.0	6.0	D 303 - 63M/2A M 303 - 63M/2A	23	78			
		10.9	143	1.9	256.27	6.0	6.0						
		12.9	121	2.2	217.41	6.0	6.0						
		14.1	111	2.4	198.40	6.0	6.0						
		15.8	99	2.7	177.36	6.0	6.0						
		20.4	77	3.5	137.31	6.0	6.0						
		4.4	368	1.0	314.13	6.0	6.0	D 303 - 63M/4B M 303 - 63M/4B	23	78			
		5.4	300	1.2	256.27	6.0	6.0						
		6.3	255	1.4	217.41	6.0	6.0						
		7.0	232	1.5	198.40	6.0	6.0						
		7.8	208	1.7	177.36	6.0	6.0						
		10.1	161	2.2	137.31	6.0	6.0						
		11.8	137	2.6	117.10	6.0	6.0						
		14.4	112	3.1	95.53	6.0	6.0						
		4.0	410	0.9	217.41	6.0	6.0	D 303 - 71M/6A M 303 - 71M/6A	27	78			
		4.4	375	1.0	198.40	6.0	6.0						
		4.9	335	1.1	177.36	6.0	6.0						
		6.3	259	1.4	137.31	6.0	6.0						
		7.4	221	1.7	117.10	6.0	6.0						
		9.1	180	2.0	95.53	6.0	6.0						
		11.7	140	2.6	73.96	6.0	6.0						
			3.2	505	1.2	267.38	10.0				4.0	D 353 - 71M/6A M 353 - 71M/6A	31
4.0			412	1.5	217.97	10.0	4.0						
4.7			349	1.8	185.05	10.0	4.0						
5.7	285		2.2	150.85	10.0	4.0							
6.8	239		2.6	126.43	10.0	4.0							
8.7	188		3.3	99.67	10.0	4.0							
	2.4		680	1.5	360.25	18.0	7.2	D 403 - 71M/6A M 403 - 71M/6A	39	82			
	2.7		596	1.8	315.51	18.0	7.2						
	3.0	551	1.9	292.09	18.0	7.2							
	3.5	473	2.2	250.44	18.0	7.2							
	4.3	383	2.7	203.06	18.0	7.2							
	4.7	349	3.0	184.83	18.0	7.2							
	5.4	300	3.5	158.93	18.0	7.2							



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg	 mm
<b>0.18</b>	2.4	680	2.5	360.25	22.0	9.0	<b>D 503 - 71M/6A</b> <b>M 503 - 71M/6A</b>	43	84
	2.7	596	2.8	315.51	22.0	9.0			
	3.0	551	3.0	292.09	22.0	9.0			
	3.5	473	3.6	250.44	22.0	9.0			
<b>0.22</b>	3.6	556	0.6	256.27	6.0	6.0	<b>D/M 303 - 71M/4</b> <b>D/M 303 - 63C/4</b>	26	78
	4.2	472	0.7	217.41	6.0	6.0			
	4.6	431	0.8	198.40	6.0	6.0			
	5.1	385	0.9	177.36	6.0	6.0			
	6.6	298	1.2	137.31	6.0	6.0			
	7.8	254	1.4	117.10	6.0	6.0			
	9.5	207	1.7	95.53	6.0	6.0			
	12.3	161	2.2	73.96	6.0	6.0			
<b>0.25</b>	18.8	122	2.9	73.89	6.0	6.0	<b>D 302 - 71M/4A</b> <b>M 302 - 71M/4A</b>	26	78
	23.7	97	3.6	58.73	6.0	6.0			
	12.3	188	2.0	73.89	6.0	6.0	<b>D 302 - 71M/6B</b> <b>M 302 - 71M/6B</b>	28	78
	15.5	149	2.5	58.73	6.0	6.0			
	17.2	135	2.7	53.04	6.0	6.0			
	19.0	122	3.0	47.91	6.0	6.0			
	21.0	110	3.3	43.27	6.0	6.0			
	22.5	103	3.6	40.53	6.0	6.0			
	24.5	94	3.7	37.09	6.0	6.0			
	27.5	84	3.7	33.07	6.0	6.0			
	29.9	78	3.9	30.46	6.0	6.0			
	8.9	244	1.1	314.13	6.0	6.0	<b>D 303 - 63M/2B</b> <b>M 303 - 63M/2B</b>	24	78
	10.9	199	1.3	256.27	6.0	6.0			
	12.9	169	1.6	217.41	6.0	6.0			
	14.1	154	1.7	198.40	6.0	6.0			
	15.8	138	1.9	177.36	6.0	6.0			
	20.4	107	2.5	137.31	6.0	6.0			
	23.9	91	2.9	117.10	6.0	6.0			
	29.3	74	3.6	95.53	6.0	6.0			
	6.4	351	1.0	217.41	6.0	6.0	<b>D/M 303 - 71M/4A</b> <b>D/M 303 - 63M/4C</b>	26	78
	7.0	320	1.1	198.40	6.0	6.0			
	7.8	286	1.2	177.36	6.0	6.0			
	10.1	222	1.6	137.31	6.0	6.0			
	11.9	189	1.9	117.10	6.0	6.0			
	14.6	154	2.3	95.53	6.0	6.0			
	18.8	119	2.9	73.96	6.0	6.0			
	6.6	342	1.1	137.31	6.0	6.0			
	7.8	292	1.3	117.10	6.0	6.0			
	9.5	238	1.5	95.53	6.0	6.0			
	12.3	184	2.0	73.96	6.0	6.0			
	13.3	174	3.6	68.49	10.0	4.0	<b>D 352 - 71M/6B</b> <b>M 352 - 71M/6B</b>	33	80
	5.2	432	1.4	267.38	10.0	4.0	<b>D 353 - 71M/4A</b> <b>M 353 - 71M/4A</b>	30	80
6.4	352	1.7	217.97	10.0	4.0				
7.5	299	2.0	185.05	10.0	4.0				
9.2	244	2.5	150.85	10.0	4.0				
11.0	204	2.9	126.43	10.0	4.0				
13.9	161	3.7	99.67	10.0	4.0				
3.4	666	0.9	267.38	10.0	4.0	<b>D 353 - 71M/6B</b> <b>M 353 - 71M/6B</b>	33	80	
4.2	543	1.2	217.97	10.0	4.0				
4.9	461	1.4	185.05	10.0	4.0				
6.0	376	1.7	150.85	10.0	4.0				
7.2	315	2.0	126.43	10.0	4.0				
9.1	248	2.5	99.67	10.0	4.0				
11.2	203	3.1	81.25	10.0	4.0				
3.9	582	1.7	360.25	18.0	7.2				<b>D 403 - 71M/4A</b> <b>M 403 - 71M/4A</b>
4.4	509	2.0	315.51	18.0	7.2				
4.8	472	2.1	292.09	18.0	7.2				
5.6	404	2.5	250.44	18.0	7.2				
6.8	328	3.1	203.06	18.0	7.2				
7.5	298	3.4	184.83	18.0	7.2				
8.7	257	3.9	158.93	18.0	7.2				



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg	 mm	
<b>0.25</b>	2.5	898	1.2	360.25	18.0	7.2	<b>D 403 - 71M/6B</b> <b>M 403 - 71M/6B</b>	41	82	
	2.9	786	1.3	315.51	18.0	7.2				
	3.1	728	1.4	292.09	18.0	7.2				
	3.6	624	1.7	250.44	18.0	7.2				
	4.5	506	2.1	203.06	18.0	7.2				
	4.9	461	2.3	184.83	18.0	7.2				
	5.7	396	2.7	158.93	18.0	7.2				
	7.1	321	3.3	128.86	18.0	7.2				
	7.8	292	3.6	117.30	18.0	7.2				
	3.5	637	2.5	394.32	22.0	9.0	<b>D 503 - 71M/4A</b> <b>M 503 - 71M/4A</b>	49	84	
		4.0	558	2.9	345.35	22.0				9.0
		4.3	517	3.1	320.49	22.0				9.0
	5.1	443	3.6	274.13	22.0	9.0	<b>D 503 - 71M/6B</b> <b>M 503 - 71M/6B</b>	52	84	
		2.3	983	1.7	394.32	22.0				9.0
		2.6	861	2.0	345.35	22.0				9.0
		2.8	799	2.1	320.49	22.0				9.0
		3.3	683	2.5	274.13	22.0				9.0
	4.1	555	3.0	222.80	22.0	9.0				
4.5		506	3.3	203.06	22.0	9.0				
5.2	434	3.9	173.97	22.0	9.0					
<b>0.37</b>	37.9	87	3.1	73.89	6.0	6.0	<b>D 302 - 71M/2A</b> <b>M 302 - 71M/2A</b>	26	78	
	47.7	69	3.9	58.73	6.0	6.0				
	18.8	180	1.9	73.89	6.0	6.0	<b>D 302 - 71M/4B</b> <b>M 302 - 71M/4B</b>	26	78	
		23.7	143	2.4	58.73	6.0				6.0
		26.2	129	2.7	53.04	6.0				6.0
		29.0	117	3.0	47.91	6.0				6.0
		32.1	106	3.3	43.27	6.0				6.0
		34.3	99	3.5	40.53	6.0				6.0
		37.5	91	3.6	37.09	6.0				6.0
		42.0	81	3.7	33.07	6.0				6.0
		45.6	74	3.9	30.46	6.0				6.0
	12.5	275	1.3	73.89	6.0	6.0	<b>D/M 302 - 80M/6A</b> <b>D/M 302 - 71C/6</b>	28	78	
		15.7	219	1.7	58.73	6.0				6.0
		17.3	198	1.9	53.04	6.0				6.0
		19.2	178	2.1	47.91	6.0				6.0
		21.3	161	2.3	43.27	6.0				6.0
		22.7	151	2.4	40.53	6.0				6.0
		24.8	138	2.5	37.09	6.0				6.0
		27.8	123	2.6	33.07	6.0				6.0
		30.2	113	2.7	30.46	6.0				6.0
		32.5	105	2.9	28.26	6.0				6.0
		35.1	98	3.1	26.24	6.0				6.0
		37.6	91	3.0	24.47	6.0				6.0
		43.0	80	3.4	21.40	6.0				6.0
	48.6	71	3.6	18.95	6.0	6.0				
	12.9	250	1.1	217.41	6.0	6.0	<b>D/M 303 - 71M/2A</b> <b>D/M 303 - 63M/2C</b>	26	78	
		14.1	228	1.2	198.40	6.0				6.0
		15.8	204	1.3	177.36	6.0				6.0
		20.4	158	1.7	137.31	6.0				6.0
		23.9	134	2.0	117.10	6.0				6.0
		29.3	110	2.4	95.53	6.0				6.0
		37.9	85	3.1	73.96	6.0				6.0
	10.1	328	1.1	137.31	6.0	6.0	<b>D 303 - 71M/4B</b> <b>M 303 - 71M/4B</b>	26	78	
		11.9	280	1.3	117.10	6.0				6.0
		14.6	228	1.5	95.53	6.0				6.0
		18.8	177	2.0	73.96	6.0				6.0
9.6	349	1.1	95.53	6.0	6.0	<b>D/M 303 - 80M/6A</b> <b>D/M 303 - 71C/6</b>	28	78		
	12.4	270	1.4	73.96	6.0				6.0	
20.3	167	3.6	68.49	10.0	4.0	<b>D 352 - 71M/4B</b> <b>M 352 - 71M/4B</b>	32	80		
13.4	255	2.5	68.49	10.0	4.0	<b>D/M 352 - 80M/6A</b> <b>D/M 352 - 71C/6</b>	32	80		
	16.5	208	3.0	55.83	10.0				4.0	
	16.9	203	3.1	54.36	10.0				4.0	
	19.7	174	3.6	46.79	10.0				4.0	
	20.8	165	3.8	44.32	10.0				4.0	

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>0.37</b>	10.5	307	1.5	267.38	10.0	4.0	D 353 - 71M/2A M 353 - 71M/2A	30	80
	12.8	250	1.8	217.97	10.0	4.0			
	15.1	213	2.1	185.05	10.0	4.0			
	18.6	173	2.6	150.85	10.0	4.0			
	22.1	145	3.1	126.43	10.0	4.0			
	28.1	114	4.0	99.67	10.0	4.0			
	5.2	639	0.9	267.38	10.0	4.0	D 353 - 71M/4B M 353 - 71M/4B	32	80
	6.4	521	1.2	217.97	10.0	4.0			
	7.5	442	1.4	185.05	10.0	4.0			
	9.2	360	1.7	150.85	10.0	4.0			
	11.0	302	2.0	126.43	10.0	4.0			
	13.9	238	2.5	99.67	10.0	4.0			
	17.1	194	3.1	81.25	10.0	4.0			
	5.0	675	0.9	185.05	10.0	4.0	D/M 353 - 80M/6A D/M 353 - 71C/6	32	80
	6.1	550	1.1	150.85	10.0	4.0			
	7.3	461	1.4	126.43	10.0	4.0			
	9.2	364	1.7	99.67	10.0	4.0			
	11.3	296	2.1	81.25	10.0	4.0			
	7.8	414	1.8	360.25	18.0	7.2	D 403 - 71M/2A M 403 - 71M/2A	38	82
	8.9	362	2.1	315.51	18.0	7.2			
	9.6	335	2.3	292.09	18.0	7.2			
	11.2	288	2.6	250.44	18.0	7.2			
	13.8	233	3.3	203.06	18.0	7.2			
	15.1	212	3.6	184.83	18.0	7.2			
	3.9	861	1.2	360.25	18.0	7.2	D 403 - 71M/4B M 403 - 71M/4B	40	82
	4.4	754	1.3	315.51	18.0	7.2			
	4.8	698	1.4	292.09	18.0	7.2			
	5.6	598	1.7	250.44	18.0	7.2			
	6.8	485	2.1	203.06	18.0	7.2			
	7.5	442	2.3	184.83	18.0	7.2			
	8.7	380	2.6	158.93	18.0	7.2			
	10.8	308	3.2	128.86	18.0	7.2			
	11.9	280	3.6	117.30	18.0	7.2			
	3.1	1066	1.0	292.09	18.0	7.2			
	3.7	914	1.1	250.44	18.0	7.2			
	4.5	741	1.4	203.06	18.0	7.2			
	5.0	674	1.6	184.83	18.0	7.2			
	5.8	580	1.8	158.93	18.0	7.2			
	7.1	470	2.2	128.86	18.0	7.2			
	7.8	428	2.5	117.30	18.0	7.2			
	10.0	335	3.1	91.83	18.0	7.2	D 403 - 80M/6A M 403 - 80M/6A	41	82
	12.4	272	3.9	74.45	18.0	7.2			
	7.1	453	2.7	394.32	22.0	9.0	D 503 - 71M/2A M 503 - 71M/2A	49	84
	8.1	397	3.1	345.35	22.0	9.0			
	8.7	368	3.3	320.49	22.0	9.0			
	10.2	315	3.9	274.13	22.0	9.0			
	3.5	942	1.7	394.32	22.0	9.0	D 503 - 71M/4B M 503 - 71M/4B	51	84
	4.0	825	1.9	345.35	22.0	9.0			
4.3	766	2.1	320.49	22.0	9.0				
5.1	655	2.4	274.13	22.0	9.0				
6.2	532	3.0	222.80	22.0	9.0				
6.8	485	3.3	203.06	22.0	9.0				
8.0	416	3.8	173.97	22.0	9.0				
2.3	1439	1.2	394.32	22.0	9.0	D/M 503 - 80M/6A D/M 503 - 71C/6	52	84	
2.7	1260	1.3	345.35	22.0	9.0				
2.9	1169	1.4	320.49	22.0	9.0				
3.4	1000	1.7	274.13	22.0	9.0				
4.1	813	2.1	222.80	22.0	9.0				
4.5	741	2.3	203.06	22.0	9.0				
5.3	635	2.6	173.97	22.0	9.0				
6.5	516	3.3	141.39	22.0	9.0				
7.1	470	3.6	128.86	22.0	9.0				
2.7	1254	2.5	343.64	30.0	11.2	D 603 - 80M/6A M 603 - 80M/6A	87	86	
3.1	1098	2.9	300.83	30.0	11.2				
3.3	1021	3.1	279.86	30.0	11.2				
3.9	870	3.6	238.56	30.0	11.2				



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm			
<b>0.55</b>	38.2	128	2.1	73.89	6.0	6.0	<b>D 302 - 71M/2B</b> <b>M 302 - 71M/2B</b>	28	78			
	48.0	102	2.6	58.73	5.9	5.9						
	53.2	92	2.9	53.04	5.8	5.8						
	58.9	83	3.2	47.91	5.6	5.6						
	65.2	75	3.5	43.27	5.5	5.5						
	69.6	70	3.8	40.53	5.4	5.4						
	76.0	64	3.9	37.09	5.2	5.2						
	85.3	57	3.8	33.07	5.1	5.1						
	18.9	266	1.3	73.89	6.0	6.0				<b>D/M 302 - 80M/4A</b> <b>D/M 302 - 71M/4C</b>	27	78
	23.8	212	1.7	58.73	6.0	6.0						
26.4	191	1.8	53.04	6.0	6.0							
29.2	173	2.0	47.91	6.0	6.0							
32.4	156	2.2	43.27	6.0	6.0							
34.5	146	2.4	40.53	6.0	6.0							
37.7	134	2.5	37.09	6.0	6.0							
42.3	119	2.5	33.07	6.0	6.0							
46.0	110	2.6	30.46	6.0	6.0							
49.5	102	2.8	28.26	5.8	5.8							
53.4	95	3.1	26.24	5.7	5.7							
57.2	88	2.9	24.47	5.6	5.6							
65.4	77	3.4	21.40	5.4	5.4							
73.9	68	3.5	18.95	5.2	5.2							
15.7	325	1.1	58.73	6.0	6.0	<b>D 302 - 80M/6B</b> <b>M 302 - 80M/6B</b>	30	78				
17.3	294	1.3	53.04	6.0	6.0							
19.2	265	1.4	47.91	6.0	6.0							
21.3	240	1.5	43.27	6.0	6.0							
22.7	224	1.6	40.53	6.0	6.0							
24.8	205	1.7	37.09	6.0	6.0							
27.8	183	1.7	33.07	6.0	6.0							
30.2	169	1.8	30.46	6.0	6.0							
32.5	157	1.9	28.26	6.0	6.0							
35.1	145	2.1	26.24	6.0	6.0							
37.6	136	2.0	24.47	6.0	6.0							
43.0	119	2.3	21.40	6.0	6.0							
48.6	105	2.4	18.95	5.9	5.9							
55.5	92	2.7	16.57	5.7	5.7							
59.2	86	2.9	15.55	5.6	5.6							
65.9	77	2.9	13.95	5.4	5.4							
80.8	63	3.2	11.38	5.1	5.1							
104.4	49	3.7	8.81	4.8	4.8							
20.5	233	1.1	137.31	6.0	6.0	<b>D 303 - 71M/2B</b> <b>M 303 - 71M/2B</b>	28	78				
24.1	198	1.3	117.10	6.0	6.0							
29.5	162	1.6	95.53	6.0	6.0							
38.1	125	2.1	73.96	6.0	6.0							
14.7	337	1.0	95.53	6.0	6.0	<b>D/M 303 - 80M/4A</b> <b>D/M 303 - 71M/4C</b>	27	78				
18.9	261	1.3	73.96	6.0	6.0							
41.2	119	3.8	68.49	10.0	4.0	<b>D 352 - 71M/2B</b> <b>M 352 - 71M/2B</b>	32	80				
20.4	247	2.4	68.49	10.0	4.0	<b>D/M 352 - 80M/4A</b> <b>D/M 352 - 71M/4C</b>	31	80				
25.1	201	3.0	55.83	10.0	4.0							
25.8	196	3.1	54.36	10.0	4.0							
29.9	169	3.6	46.79	10.0	4.0							
31.6	160	3.8	44.32	10.0	4.0							
13.4	379	1.7	68.49	10.0	4.0	<b>D 352 - 80M/6B</b> <b>M 352 - 80M/6B</b>	34	80				
16.5	309	2.0	55.83	10.0	4.0							
16.9	301	2.1	54.36	10.0	4.0							
19.7	259	2.4	46.79	10.0	4.0							
20.8	245	2.6	44.32	10.0	4.0							
23.0	222	2.8	40.00	10.0	4.0							
24.8	206	3.1	37.14	10.0	4.0							
26.7	191	3.0	34.50	10.0	4.0							
30.2	169	3.1	30.50	10.0	4.0							
32.7	156	3.2	28.13	10.0	4.0							
36.0	142	3.6	25.56	10.0	4.0							
39.0	131	3.8	23.57	10.0	4.0							



P <sub>1</sub> [kW]	n <sub>2</sub> [Min <sup>-1</sup> ]	M <sub>2</sub> [Nm]	f <sub>B</sub>	i <sub>ges</sub>	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	Kg ~	mm
<b>0.55</b>	12.9	369	1.2	217.97	10.0	4.0	<b>D 353 - 71M/2B</b> <b>M 353 - 71M/2B</b>	32	80
	15.2	314	1.5	185.05	10.0	4.0			
	18.7	256	1.8	150.85	10.0	4.0			
	22.3	214	2.1	126.43	10.0	4.0			
	28.3	169	2.7	99.67	10.0	4.0			
	34.7	138	3.3	81.25	10.0	4.0			
	7.6	653	0.9	185.05	10.0	4.0	<b>D/M 353 - 80M/4A</b> <b>D/M 353 - 71M/4C</b>	31	80
	9.3	532	1.1	150.85	10.0	4.0			
	11.1	446	1.3	126.43	10.0	4.0			
	14.0	351	1.7	99.67	10.0	4.0			
	17.2	287	2.1	81.25	10.0	4.0			
	9.2	541	1.2	99.67	10.0	4.0	<b>D 353 - 80M/6B</b> <b>M 353 - 80M/6B</b>	34	80
	11.3	441	1.4	81.25	10.0	4.0			
	15.1	338	3.1	61.05	18.0	7.2	<b>D 402 - 80M/6B</b> <b>M 402 - 80M/6B</b>	43	82
	17.2	296	3.5	53.44	18.0	7.2			
	18.6	274	3.8	49.50	18.0	7.2			
	7.8	611	1.2	360.25	18.0	7.2	<b>D 403 - 71M/2B</b> <b>M 403 - 71M/2B</b>	40	82
	8.9	535	1.4	315.51	18.0	7.2			
	9.7	495	1.5	292.09	18.0	7.2			
	11.3	224	1.8	250.44	18.0	7.2			
	13.9	344	2.2	203.06	18.0	7.2			
	15.3	313	2.4	184.83	18.0	7.2			
	17.7	269	2.8	158.93	18.0	7.2			
	21.9	218	3.5	128.86	18.0	7.2			
	24.0	199	3.8	117.30	18.0	7.2			
	4.8	1030	1.0	292.09	18.0	7.2			
	5.6	883	1.1	250.44	18.0	7.2			
	6.9	716	1.4	203.06	18.0	7.2			
	7.6	652	1.5	184.83	18.0	7.2			
	8.8	561	1.8	158.93	18.0	7.2			
	10.9	454	2.2	128.86	18.0	7.2			
	11.9	414	2.4	117.30	18.0	7.2			
	15.2	324	3.1	91.83	18.0	7.2	<b>D 403 - 80M/4A</b> <b>M 403 - 80M/4A</b>	40	82
	18.8	263	3.8	74.45	18.0	7.2			
	4.5	1101	1.0	203.06	18.0	7.2	<b>D 403 - 80M/6B</b> <b>M 403 - 80M/6B</b>	43	82
	5.0	1003	1.0	184.83	18.0	7.2			
	5.8	862	1.2	158.93	18.0	7.2			
	7.1	699	1.5	128.86	18.0	7.2			
	7.8	636	1.7	117.30	18.0	7.2			
	10.0	498	2.1	91.83	18.0	7.2			
	12.4	404	2.6	74.45	18.0	7.2			
	13.6	368	2.9	67.77	18.0	7.2			
	7.2	668	1.8	394.32	22.0	9.0	<b>D 503 - 71M/2B</b> <b>M 503 - 71M/2B</b>	51	84
	8.2	585	2.1	345.35	22.0	9.0			
	8.8	543	2.2	320.49	22.0	9.0			
	10.3	465	2.6	274.13	22.0	9.0			
	12.7	378	3.2	222.80	22.0	9.0			
13.9	344	3.5	203.06	22.0	9.0				
3.6	1391	1.2	394.32	22.0	9.0	<b>D/M 503 - 80M/4A</b> <b>D/M 503 - 71M/4C</b>	51	84	
4.1	1218	1.3	345.35	22.0	9.0				
4.4	1130	1.4	320.49	22.0	9.0				
5.1	967	1.7	274.13	22.0	9.0				
6.3	786	2.0	222.80	22.0	9.0				
6.9	716	2.2	203.06	22.0	9.0				
8.0	614	2.6	173.97	22.0	9.0				
9.9	499	3.2	141.39	22.0	9.0				
10.9	454	3.5	128.86	22.0	9.0				
2.9	1738	1.0	320.49	22.0	9.0				<b>D 503 - 80M/6B</b> <b>M 503 - 80M/6B</b>
3.4	1487	1.1	274.13	22.0	9.0				
4.1	1208	1.4	222.80	22.0	9.0				
4.5	1101	1.5	203.06	22.0	9.0				
5.3	944	1.8	173.97	22.0	9.0				
6.5	767	2.2	141.39	22.0	9.0				
7.1	699	2.4	128.86	22.0	9.0				
8.3	601	2.8	110.73	22.0	9.0				
9.2	545	3.1	100.51	22.0	9.0				
11.3	443	3.8	81.69	22.0	9.0				



P <sub>1</sub> [kW]	n <sub>2</sub> [Min <sup>-1</sup> ]	M <sub>2</sub> [Nm]	f <sub>B</sub>	i <sub>ges</sub>	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm					
<b>0.55</b>	4.1	1212	2.5	343.64	30.0	11.2	<b>D 603 - 80M/4A M 603 - 80M/4A</b>	86	86					
	4.7	1061	2.8	300.83	30.0	11.2								
	5.0	987	3.0	279.86	30.0	11.2								
	5.9	841	3.6	238.56	30.0	11.2								
	<b>0.75</b>	2.7	1864	1.7	343.64	30.0	11.2	<b>D 603 - 80M/6B M 603 - 80M/6B</b>	88	86				
		3.1	1632	1.9	300.83	30.0	11.2							
		3.3	1518	2.1	279.86	30.0	11.2							
		3.9	1294	2.4	238.56	30.0	11.2							
		4.7	1054	3.0	194.28	30.0	11.2							
		5.2	961	3.3	177.25	30.0	11.2							
		6.1	819	3.8	150.99	30.0	11.2							
		<b>0.75</b>	38.4	173	1.5	73.89	6.0				6.0	<b>D/M 302 - 80M/2A D/M 302 - 71M/2C</b>	27	78
			48.4	138	1.9	58.73	5.7				5.7			
			53.5	124	2.1	53.04	5.6				5.6			
59.3	112		2.4	47.91	5.4	5.4								
65.6	101		2.6	43.27	5.3	5.3								
70.1	95		2.8	40.53	5.2	5.2								
76.6	87		2.9	37.09	5.1	5.1								
85.9	78		2.9	33.07	4.9	4.9								
93.2	71		3.1	30.46	4.8	4.8								
100.5	66		3.3	28.26	4.7	4.7								
108.2	62		3.6	26.24	4.6	4.6								
116.0	57		3.4	24.47	4.5	4.5								
132.7	50		3.9	21.40	4.4	4.4								
<b>0.75</b>	18.9		363	1.0	73.89	6.0	6.0	<b>D 302 - 80M/4B M 302 - 80M/4B</b>	29	78				
	23.8		288	1.2	58.73	6.0	6.0							
	26.4		261	1.3	53.04	6.0	6.0							
	29.2		235	1.5	47.91	6.0	6.0							
	32.4		213	1.6	43.27	6.0	6.0							
	34.5		199	1.8	40.53	6.0	6.0							
	37.7		182	1.8	37.09	6.0	6.0							
	42.3		162	1.8	33.07	5.8	5.8							
	46.0		150	1.9	30.46	5.7	5.7							
	49.5		139	2.1	28.26	5.6	5.6							
	53.4		129	2.3	26.24	5.5	5.5							
	57.2		120	2.2	24.47	5.4	5.4							
	65.4		105	2.5	21.40	5.3	5.3							
	73.9		93	2.6	18.95	5.1	5.1							
84.5	81		2.9	16.57	4.9	4.9								
90.1	76	3.1	15.55	4.8	4.8									
100.3	69	3.1	13.95	4.7	4.7									
123.0	56	3.4	11.38	4.4	4.4									
<b>0.75</b>	17.4	398	0.9	53.04	6.0	6.0	<b>D/M 302 - 90S/6A D/M 302 - 80C/6</b>	32	78					
	19.3	360	1.0	47.91	6.0	6.0								
	21.4	325	1.1	43.27	6.0	6.0								
	22.8	304	1.2	40.53	6.0	6.0								
	24.9	279	1.2	37.09	6.0	6.0								
	28.0	248	1.3	33.07	6.0	6.0								
	30.4	229	1.3	30.46	6.0	6.0								
	32.7	212	1.4	28.26	6.0	6.0								
	35.3	197	1.5	26.24	6.0	6.0								
	37.8	184	1.5	24.47	6.0	6.0								
	43.2	161	1.7	21.40	5.8	5.8								
	48.8	142	1.8	18.95	5.7	5.7								
	55.8	124	2.0	16.57	5.5	5.5								
	59.5	117	2.2	15.55	5.4	5.4								
	66.3	105	2.1	13.95	5.3	5.3								
	81.3	85	2.3	11.38	5.0	5.0								
	105.0	66	2.7	8.81	4.7	4.7								
	<b>0.75</b>	29.7	219	1.2	95.53	6.0				6.0	<b>D/M 303 - 80M/2A D/M 303 - 71M/2C</b>	27	78	
		38.4	170	1.6	73.96	6.0				6.0				
	<b>0.75</b>	18.9	356	1.0	73.96	6.0				6.0	<b>D 303 - 80M/4B M 303 - 80M/4B</b>	29	78	
41.5		161	2.8	68.49	10.0	4.0								
<b>0.75</b>	50.9	131	3.5	55.83	10.0	4.0	<b>D/M 352 - 80M/2A D/M 352 - 71M/2C</b>	31	80					
	52.2	128	3.6	54.36	10.0	4.0								

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>0.75</b>	20.4	336	1.8	68.49	10.0	4.0	<b>D 352 - 80M/4B M 352 - 80M/4B</b>	33	80
	25.1	274	2.2	55.83	10.0	4.0			
	25.8	267	2.2	54.36	10.0	4.0			
	29.9	230	2.6	46.79	10.0	4.0			
	31.6	218	2.8	44.32	10.0	4.0			
	35.0	196	3.1	40.00	10.0	4.0			
	37.7	182	3.3	37.14	10.0	4.0			
	40.6	169	3.2	34.50	10.0	4.0			
	45.9	150	3.3	30.50	10.0	4.0			
	49.8	138	3.5	28.13	10.0	4.0			
54.8	126	3.8	25.56	9.9	4.0				
	13.5	514	1.2	68.49	10.0	4.0	<b>D/M 352 - 90S/6A D/M 352 - 80C/6</b>	36	80
	16.6	419	1.5	55.83	10.0	4.0			
	17.0	408	1.5	54.36	10.0	4.0			
	19.8	351	1.8	46.79	10.0	4.0			
	20.9	333	1.9	44.32	10.0	4.0			
	23.1	300	2.1	40.00	10.0	4.0			
	24.9	279	2.3	37.14	10.0	4.0			
	26.8	259	2.2	34.50	10.0	4.0			
	30.3	229	2.3	30.50	10.0	4.0			
	32.9	211	2.4	28.13	10.0	4.0			
	36.2	192	2.6	25.56	10.0	4.0			
	39.2	177	2.8	23.57	10.0	4.0			
	46.4	150	3.2	19.93	10.0	4.0			
	56.9	122	3.9	16.25	9.8	3.9			
	15.3	425	1.1	185.05	10.0	4.0	<b>D/M 353 - 80M/2A D/M 353 - 71M/2C</b>	31	80
	18.8	346	1.3	150.85	10.0	4.0			
	22.5	290	1.6	126.43	10.0	4.0			
	28.5	229	2.0	99.67	10.0	4.0			
	35.0	186	2.4	81.25	10.0	4.0			
	11.1	608	1.0	126.43	10.0	4.0	<b>D 353 - 80M/4B M 353 - 80M/4B</b>	33	80
	14.0	479	1.3	99.67	10.0	4.0			
	17.2	391	1.5	81.25	10.0	4.0			
	11.4	598	1.1	81.25	10.0	4.0	<b>D/M 353 - 90S/6A D/M 353 - 80C/6</b>	36	80
	22.9	300	3.3	61.05	18.0	7.2	<b>D 402 - 80M/4B M 402 - 80M/4B</b>	42	82
	26.2	262	3.8	53.44	18.0	7.2			
	15.2	459	2.3	61.05	18.0	7.2	<b>D/M 402 - 90S/6A D/M 402 - 80C/6</b>	45	82
	17.3	401	2.6	53.44	18.0	7.2			
	18.7	372	2.8	49.50	18.0	7.2			
	21.8	318	3.3	42.38	18.0	7.2			
	23.5	296	3.5	39.44	18.0	7.2			
	26.9	258	4.1	34.36	18.0	7.2			
	9.0	724	1.0	315.51	18.0	7.2	<b>D 402 - 71M/2C M 402 - 71M/2C</b>	40	82
	9.7	670	1.1	292.09	18.0	7.2	<b>D/M 403 - 80M/2A D/M 403 - 71M/2C</b>	40	82
	11.3	575	1.3	250.44	18.0	7.2			
	14.0	466	1.6	203.06	18.0	7.2			
	15.4	424	1.8	184.83	18.0	7.2			
	17.9	365	2.1	158.93	18.0	7.2			
	22.0	296	2.6	128.86	18.0	7.2			
	24.2	269	2.8	117.30	18.0	7.2			
	30.9	211	3.6	91.83	18.0	7.0	<b>D 403 - 80M/2A M 403 - 80M/2A</b>	40	82
	6.9	977	1.0	203.06	18.0	7.2	<b>D 403 - 80M/4B M 403 - 80M/4B</b>	42	82
	7.6	889	1.1	184.83	18.0	7.2			
	8.8	764	1.3	158.93	18.0	7.2			
	10.9	620	1.6	128.86	18.0	7.2			
	11.9	564	1.8	117.30	18.0	7.2			
	15.2	442	2.3	91.83	18.0	7.2			
	18.8	358	2.8	74.45	18.0	7.2			
	20.7	326	3.1	67.77	18.0	7.2			





$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm		
<b>0.75</b>	7.2	948	1.1	128.86	18.0	7.2	<b>D/M 403 - 90S/6A</b> <b>D/M 403 - 80C/6</b>	45	82		
	7.9	863	1.2	117.30	18.0	7.2					
	10.1	675	1.6	91.83	18.0	7.2					
	12.4	548	1.9	74.45	18.0	7.2					
	13.6	499	2.1	67.77	18.0	7.2					
	13.8	502	3.3	66.83	22.0	9.0					
	15.8	439	3.8	58.50	22.0	9.0	<b>D/M 502 - 90S/6A</b> <b>D/M 502 - 80C/6</b>	56	84		
	17.0	408	3.3	54.31	22.0	9.0					
	7.5	874	1.4	394.32	22.0	9.0					
	8.5	766	1.6	345.35	22.0	9.0	<b>D/M 503 - 80M/2A</b> <b>D/M 503 - 71M/2C</b>	51	84		
	9.2	711	1.7	320.49	22.0	9.0					
	10.7	608	2.0	274.13	22.0	9.0					
	13.2	494	2.5	222.80	22.0	9.0					
	14.5	450	2.7	203.06	22.0	9.0					
	16.9	386	3.2	173.97	22.0	9.0					
	20.8	313	3.9	141.39	22.0	9.0					
	4.1	1661	1.0	345.35	22.0	9.0					
	4.4	1541	1.0	320.49	22.0	9.0	<b>D 503 - 80M/4B</b> <b>M 503 - 80M/4B</b>	53	84		
	5.1	1318	1.2	274.13	22.0	9.0					
	6.3	1071	1.5	222.80	22.0	9.0					
	6.9	977	1.6	203.06	22.0	9.0					
	8.0	837	1.9	173.97	22.0	9.0					
	9.9	680	2.4	141.39	22.0	9.0					
	10.9	620	2.6	128.86	22.0	9.0					
	12.6	532	3.0	110.73	22.0	9.0					
	13.9	483	3.3	100.51	22.0	9.0					
	4.2	1639	1.0	222.80	22.0	9.0					
	4.6	1494	1.1	203.06	22.0	9.0	<b>D/M 503 - 90S/6A</b> <b>D/M 503 - 80C/6</b>	56	84		
	5.3	1280	1.3	173.97	22.0	9.0					
	6.5	1040	1.6	141.39	22.0	9.0					
	7.2	948	1.8	128.86	22.0	9.0					
	8.4	815	2.1	110.73	22.0	9.0					
	9.2	739	2.3	100.51	22.0	9.0					
	11.3	601	2.8	81.69	22.0	9.0					
	12.4	548	3.1	74.45	22.0	9.0					
	8.6	762	3.0	343.64	30.0	11.2	<b>D 603 - 80M/2A</b> <b>M 603 - 80M/2A</b>	86	86		
9.8	667	3.4	300.83	30.0	11.2						
10.5	620	3.7	279.86	30.0	11.2						
4.1	1653	1.8	343.64	30.0	11.2	<b>D 603 - 80M/4B</b> <b>M 603 - 80M/4B</b>	88	86			
4.7	1447	2.1	300.83	30.0	11.2						
5.0	1346	2.2	279.86	30.0	11.2						
5.9	1147	2.6	238.56	30.0	11.2						
7.2	934	3.2	194.28	30.0	11.2						
7.9	852	3.5	177.25	30.0	11.2						
2.7	2528	1.2	343.64	30.0	11.2						
3.1	2213	1.4	300.83	30.0	11.2	<b>D/M 603 - 90S/6A</b> <b>D/M 603 - 80C/6</b>	91	86			
3.3	2059	1.5	279.86	30.0	11.2						
3.9	1755	1.8	238.56	30.0	11.2						
4.8	1429	2.2	194.28	30.0	11.2						
5.2	1304	2.4	177.25	30.0	11.2						
6.1	1111	2.8	150.99	30.0	11.2						
6.9	982	3.2	133.43	30.0	11.2						
7.5	905	3.5	122.97	30.0	11.2						
8.2	825	3.8	112.19	30.0	11.2						



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm				
<b>0.92</b>	24.0	351	1.0	58.73	6.0	6.0	<b>D 302 - 80M/4</b> <b>M 302 - 80M/4</b>	29	78				
	26.6	317	1.1	53.04	6.0	6.0							
	29.4	287	1.2	47.91	6.0	6.0							
	32.6	259	1.4	43.27	5.9	5.9							
	34.8	242	1.4	40.53	5.8	5.8							
	38.0	222	1.5	37.09	5.7	5.7							
	42.6	198	1.5	33.07	5.6	5.6							
	46.3	182	1.6	30.46	5.5	5.5							
	49.9	169	1.7	28.26	5.4	5.4							
	53.7	157	1.8	26.24	5.4	5.4							
	57.6	146	1.8	24.47	5.3	5.3							
	65.9	128	2.0	21.40	5.1	5.1							
	74.4	113	2.1	18.95	5.0	5.0							
	85.1	99	2.4	16.57	4.8	4.8							
	90.7	93	2.6	15.55	4.7	4.7							
	101.1	83	2.5	13.95	4.6	4.6							
	123.9	68	2.8	11.38	4.4	4.4							
	160.0	53	3.2	8.81	4.1	4.1							
		20.6	410	1.5	68.49	10.0				4.0	<b>D 352 - 80M/4</b> <b>M 352 - 80M/4</b>	33	80
		25.3	334	1.8	55.83	10.0				4.0			
		25.9	325	1.8	54.36	10.0	4.0						
		30.1	280	2.1	46.79	10.0	4.0						
		31.8	265	2.3	44.32	10.0	4.0						
		35.3	239	2.5	40.00	10.0	4.0						
		38.0	222	2.7	37.14	10.0	4.0						
		40.9	206	2.9	34.50	10.0	4.0						
		46.2	182	2.7	30.50	10.0	4.0						
		50.1	168	2.9	28.13	10.0	4.0						
		55.2	153	3.1	25.56	9.7	3.9						
		59.8	141	3.3	23.57	9.5	3.8						
		70.7	119	3.9	19.93	9.1	3.6						
		14.1	584	1.0	99.67	10.0	4.0	<b>D 353 - 80M/4</b> <b>M 353 - 80M/4</b>	33	80			
		17.4	476	1.3	81.25	10.0	4.0						
		23.1	365	2.7	61.05	18.0	7.2	<b>D 402 - 80M/4</b> <b>M 402 - 80M/4</b>	42	82			
		26.4	320	3.1	53.44	18.0	7.2						
		28.5	296	3.4	49.50	18.0	7.1						
		33.3	254	3.9	42.38	18.0	6.8						
		7.6	1083	0.9	184.83	18.0	7.2	<b>D 403 - 80M/4</b> <b>M 403 - 80M/4</b>	42	82			
		8.9	931	1.1	158.93	18.0	7.2						
		10.9	755	1.3	128.86	18.0	7.2						
		12.0	687	1.5	117.30	18.0	7.2						
		15.4	538	1.9	91.83	18.0	7.2						
		18.9	436	2.3	74.45	18.0	7.2						
		20.8	397	2.5	67.77	18.0	7.2						
		21.1	400	4.0	66.83	22.0	9.0	<b>D 502 - 80M/4</b> <b>M 502 - 80M/4</b>	53	84			
		26.0	325	4.0	54.31	22.0	9.0						
		5.1	1606	1.0	274.13	22.0	9.0	<b>D 503 - 80M/4</b> <b>M 503 - 80M/4</b>	53	84			
		6.3	1305	1.2	222.80	22.0	9.0						
		6.9	1189	1.3	203.06	22.0	9.0						
		8.1	1019	1.6	173.97	22.0	9.0						
		10.0	828	1.9	141.39	22.0	9.0						
		10.9	755	2.1	128.86	22.0	9.0						
		12.7	649	2.5	110.73	22.0	9.0						
		14.0	589	2.7	100.51	22.0	9.0						
		17.3	479	3.3	81.69	22.0	9.0						
		18.9	436	3.7	74.45	22.0	9.0						
		4.1	2013	1.5	343.64	30.0	11.2	<b>D 603 - 80M/4</b> <b>M 603 - 80M/4</b>	87	86			
		4.7	1762	1.7	300.83	30.0	11.2						
		5.0	1639	1.8	279.86	30.0	11.2						
		5.9	1397	2.1	238.56	30.0	11.2						
		7.3	1138	2.6	194.28	30.0	11.2						
		8.0	1038	2.9	177.25	30.0	11.2						
		9.3	884	3.4	150.99	30.0	11.2						
		10.6	782	3.8	133.43	30.0	11.2						

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm				
<b>1.10</b>	38.6	253	1.1	73.89	5.5	5.5	<b>D 302 - 80M/2B</b> <b>M 302 - 80M/2B</b>	27	78				
	48.5	201	1.3	58.73	5.3	5.3							
	53.7	182	1.5	53.04	5.2	5.2							
	59.5	164	1.6	47.91	5.1	5.1							
	65.9	148	1.8	43.27	5.0	5.0							
	70.3	139	1.9	40.53	4.9	4.9							
	76.8	127	2.0	37.09	4.9	4.9							
	86.2	113	2.0	33.07	4.7	4.7							
	93.6	104	2.1	30.46	4.6	4.6							
	100.8	97	2.3	28.26	4.5	4.5							
	108.6	90	2.5	26.24	4.5	4.5							
	116.5	84	2.4	24.47	4.4	4.4							
	133.1	73	2.7	21.40	4.2	4.2							
	150.4	65	2.8	18.95	4.1	4.1							
	172.0	57	3.2	16.57	4.0	4.0							
	183.3	53	3.4	15.55	3.9	3.9							
	204.3	48	3.3	13.95	3.8	3.8							
	250.4	39	3.7	11.38	3.6	3.6							
		26.6	379	0.9	53.04	5.7				5.7	<b>D/M 302 - 90S/4A</b> <b>D/M 302 - 80M/4C</b>	32	78
		29.4	343	1.0	47.91	5.7				5.7			
		32.6	309	1.1	43.27	5.6	5.6						
		34.8	290	1.2	40.53	5.6	5.6						
		38.0	265	1.2	37.09	5.5	5.5						
		42.6	237	1.3	33.07	5.4	5.4						
		46.3	218	1.3	30.46	5.3	5.3						
		49.9	202	1.4	28.26	5.3	5.3						
		53.7	188	1.5	26.24	5.2	5.2						
		57.6	175	1.5	24.47	5.1	5.1						
		65.9	153	1.7	21.40	5.0	5.0						
		74.4	136	1.8	18.95	4.8	4.8						
		85.1	119	2.0	16.57	4.7	4.7						
		90.7	111	2.2	15.55	4.6	4.6						
		101.1	100	2.1	13.95	4.5	4.5						
		123.9	81	2.3	11.38	4.3	4.3						
		160.0	63	2.7	8.81	4.0	4.0						
		33.1	308	1.0	28.26	5.6	5.6	<b>D 302 - 90L/6B</b> <b>M 302 - 90L/6B</b>	36	78			
		35.6	286	1.1	26.24	5.6	5.6						
		38.2	267	1.0	24.47	5.5	5.5						
		43.7	233	1.2	21.40	5.4	5.4						
		49.3	206	1.2	18.95	5.3	5.3						
		56.4	181	1.4	16.57	5.2	5.2						
		60.1	169	1.5	15.55	5.1	5.1						
		67.0	152	1.5	13.95	5.0	5.0						
		82.1	124	1.6	11.38	4.8	4.8	<b>D 303 - 80M/2B</b> <b>M 303 - 80M/2B</b>	27	78			
		106.1	96	1.9	8.81	4.5	4.5						
		38.5	248	1.1	73.96	5.6	5.6	<b>D 352 - 80M/2B</b> <b>M 352 - 80M/2B</b>	31	80			
		41.6	235	1.9	68.49	10.0	4.0						
		51.0	191	2.4	55.83	9.8	3.9						
		52.4	186	2.4	54.36	9.7	3.9						
		60.9	160	2.8	46.79	9.4	3.7						
		64.3	152	3.0	44.32	9.2	3.7						
		71.3	137	3.3	40.00	9.0	3.6						
		76.7	127	3.6	37.14	8.8	3.5						
		82.6	118	3.5	34.50	8.6	3.5						
		93.4	105	3.6	30.50	8.3	3.3						
		101.3	96	3.8	28.13	8.2	3.3						

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	Kg ~	mm
<b>1.10</b>	20.6	490	1.2	68.49	10.0	4.0	<b>D/M 352 - 90S/4A</b> <b>D/M 352 - 80M/4C</b>	36	80
	25.3	399	1.5	55.83	10.0	4.0			
	25.9	389	1.5	54.36	10.0	4.0			
	30.1	335	1.8	46.79	10.0	4.0			
	31.8	317	1.9	44.32	10.0	4.0			
	35.3	286	2.1	40.00	10.0	4.0			
	38.0	266	2.3	37.14	10.0	4.0			
	40.9	247	2.2	34.50	10.0	4.0			
	46.2	218	2.3	30.50	9.9	4.0			
	50.1	201	2.4	28.13	9.8	3.9			
55.2	183	2.6	25.56	9.5	3.8				
59.8	169	2.8	23.57	9.3	3.7				
70.7	143	2.5	19.93	8.9	3.6				
86.8	116	3.0	16.25	8.5	3.4				
	16.7	608	1.0	55.83	10.0	4.0	<b>D 352 - 90L/6B</b> <b>M 352 - 90L/6B</b>	40	80
	17.2	592	1.1	54.36	10.0	4.0			
	20.0	510	1.2	46.79	10.0	4.0			
	21.1	483	1.3	44.32	10.0	4.0			
	23.4	436	1.4	40.00	10.0	4.0			
	25.2	405	1.6	37.14	10.0	4.0			
	27.1	376	1.5	34.50	10.0	4.0			
	30.7	332	1.6	30.50	10.0	4.0			
	33.2	307	1.6	28.13	10.0	4.0			
	36.6	279	1.8	25.56	10.0	4.0			
	39.7	257	1.9	23.57	10.0	4.0			
	46.9	217	2.2	19.93	10.0	4.0			
	57.5	177	2.7	16.25	9.5	3.8			
	68.7	148	3.0	13.62	9.1	3.6			
	78.0	131	3.1	11.99	8.8	3.5			
95.7	107	3.5	9.77	8.3	3.3				
114.2	89	3.9	8.19	7.9	3.2				
	22.5	424	1.1	126.43	10.0	4.0	<b>D 353 - 80M/2B</b> <b>M 353 - 80M/2B</b>	31	80
	28.6	334	1.4	99.67	10.0	4.0			
	35.1	273	1.7	81.25	10.0	4.0			
	17.4	569	1.1	81.25	10.0	4.0	<b>D/M 353 - 90S/4A</b> <b>D/M 353 - 80M/4C</b>	36	80
	46.7	209	3.6	61.05	18.0	6.2			
	53.3	183	4.1	53.44	18.0	5.9	<b>D 402 - 80M/2B</b> <b>M 402 - 80M/2B</b>	40	82
	23.1	437	2.3	61.05	18.0	7.2			
	26.4	382	2.6	53.44	18.0	7.2	<b>D/M 402 - 90S/4A</b> <b>D/M 402 - 80M/4C</b>	45	82
	28.5	354	2.8	49.50	18.0	7.1			
	33.3	303	3.3	42.38	18.0	6.8			
	35.7	282	3.5	39.44	18.0	6.7			
	41.0	246	4.1	34.36	18.0	6.4			
	15.3	665	1.6	61.05	18.0	7.2	<b>D 402 - 90L/6B</b> <b>M 402 - 90L/6B</b>	49	82
	17.5	582	1.8	53.44	18.0	7.2			
	18.9	539	1.9	49.50	18.0	7.2			
	22.1	462	2.3	42.38	18.0	7.2			
	23.7	430	2.4	39.44	18.0	7.2			
	27.2	375	2.8	34.36	18.0	7.2			
	29.9	341	3.1	31.28	18.0	7.1			
	33.1	308	3.1	28.22	18.0	6.9			
	34.9	292	3.2	26.83	18.0	6.8			
	39.6	257	3.3	23.60	18.0	6.5			
	43.0	237	3.5	21.75	18.0	6.3			
	47.2	216	3.7	19.80	18.0	6.2			
	14.0	681	1.1	203.06	18.0	7.2	<b>D 403 - 80M/2B</b> <b>M 403 - 80M/2B</b>	40	82
	15.4	620	1.2	184.83	18.0	7.2			
	17.9	533	1.4	158.93	18.0	7.2			
	22.1	432	1.8	128.86	18.0	7.2			
	24.3	393	1.9	117.30	18.0	7.2			
	31.0	308	2.5	91.83	18.0	6.9			
	38.3	250	3.0	74.45	18.0	6.5			
	42.1	227	3.3	67.77	18.0	6.3			



<b>P<sub>1</sub></b> [kW]	<b>n<sub>2</sub></b> [Min <sup>-1</sup> ]	<b>M<sub>2</sub></b> [Nm]	<b>f<sub>B</sub></b>	<b>i<sub>ges</sub></b>	<b>Fr2 D</b> [kN]	<b>Fr2 C-L</b> [kN]	<b>Typ / Type / Tip</b> <b>Tipo / Type / Tipo</b>	<b>Kg</b> ~	
<b>1.10</b>	10.9	902	1.1	128.86	18.0	7.2	<b>D/M 403 - 90S/4A</b> <b>D/M 403 - 80M/4C</b>	45	82
	12.0	821	1.2	117.30	18.0	7.2			
	15.4	643	1.6	91.83	18.0	7.2			
	18.9	521	1.9	74.45	18.0	7.2			
	20.8	475	2.1	67.77	18.0	7.2			
	10.2	980	0.8	91.83	18.0	7.2	<b>D 403 - 90L/6B</b> <b>M 403 - 90L/6B</b>	49	82
	12.6	795	1.0	74.45	18.0	7.2			
	13.8	723	1.1	67.77	18.0	7.2			
	21.1	478	3.3	66.83	22.0	9.0	<b>D/M 502 - 90S/4A</b> <b>D/M 502 - 80M/4C</b>	56	84
	24.1	418	3.8	58.50	22.0	9.0			
	26.0	388	3.3	54.31	22.0	9.0			
	14.0	728	2.3	66.83	22.0	9.0	<b>D 502 - 90L/6B</b> <b>M 502 - 90L/6B</b>	60	84
	16.0	638	2.6	58.50	22.0	9.0			
	17.2	592	2.3	54.31	22.0	9.0			
	20.2	506	3.3	46.39	22.0	9.0			
	21.6	472	2.9	43.33	22.0	9.0			
	24.8	411	3.8	37.70	22.0	9.0			
	27.2	375	3.9	34.36	22.0	9.0			
	8.3	1158	1.0	345.35	22.0	9.0			
	8.9	1075	1.1	320.49	22.0	9.0			
	10.4	919	1.3	274.13	22.0	9.0			
	12.8	747	1.6	222.80	22.0	9.0			
	14.0	681	1.8	203.06	22.0	9.0			
	16.4	584	2.1	173.97	22.0	9.0			
	20.2	474	2.6	141.39	22.0	9.0			
	22.1	432	2.8	128.86	22.0	9.0			
	25.7	371	3.3	110.73	22.0	9.0			
	28.4	337	3.6	100.51	22.0	8.8			
	6.3	1560	1.0	222.80	22.0	9.0	<b>D/M 503 - 90S/4A</b> <b>D/M 503 - 80M/4C</b>	56	84
	6.9	1422	1.1	203.06	22.0	9.0			
	8.1	1218	1.3	173.97	22.0	9.0			
	10.0	990	1.6	141.39	22.0	9.0			
	10.9	902	1.8	128.86	22.0	9.0			
	12.7	775	2.1	110.73	22.0	9.0			
	14.0	704	2.3	100.51	22.0	9.0			
	17.3	572	2.8	81.69	22.0	9.0			
	18.9	521	3.1	74.45	22.0	9.0			
	6.6	1509	1.1	141.39	22.0	9.0	<b>D 503 - 90L/6B</b> <b>M 503 - 90L/6B</b>	60	84
	7.3	1375	1.2	128.86	22.0	9.0			
	8.4	1182	1.4	110.73	22.0	9.0			
	9.3	1073	1.6	100.51	22.0	9.0			
	11.4	872	1.9	81.69	22.0	9.0			
12.6	795	2.1	74.45	22.0	9.0				
8.3	1153	2.0	343.64	30.0	11.2	<b>D 603 - 80M/2B</b> <b>M 603 - 80M/2B</b>	86	86	
9.5	1009	2.3	300.83	30.0	11.2				
10.2	939	2.4	279.86	30.0	11.2				
11.9	800	2.8	238.56	30.0	11.2				
14.7	652	3.5	194.28	30.0	11.2				
16.1	595	3.8	177.25	30.0	11.2				
4.1	2407	1.2	343.64	30.0	11.2				<b>D/M 603 - 90S/4A</b> <b>D/M 603 - 80M/4C</b>
4.7	2107	1.4	300.83	30.0	11.2				
5.0	1960	1.5	279.86	30.0	11.2				
5.9	1671	1.8	238.56	30.0	11.2				
7.3	1361	2.2	194.28	30.0	11.2				
8.0	1241	2.4	177.25	30.0	11.2				
9.3	1057	2.8	150.99	30.0	11.2				
10.6	934	3.2	133.43	30.0	11.2				
11.5	861	3.5	122.97	30.0	11.2				
12.6	786	3.8	112.19	30.0	11.2				

<b>P<sub>1</sub></b> [kW]	<b>n<sub>2</sub></b> [Min <sup>-1</sup> ]	<b>M<sub>2</sub></b> [Nm]	<b>f<sub>B</sub></b>	<b>i<sub>ges</sub></b>	<b>Fr2 D</b> [kN]	<b>Fr2 C-L</b> [kN]	<b>Typ / Type / Tip</b> <b>Tipo / Type / Tipo</b>	<b>Kg</b> ~	
<b>1.10</b>	3.1	3211	1.0	300.83	30.0	11.2	<b>D 603 - 90L/6B</b> <b>M 603 - 90L/6B</b>	95	86
	3.3	2987	1.1	279.86	30.0	11.2			
	3.9	2546	1.2	238.56	30.0	11.2			
	4.8	2074	1.5	194.28	30.0	11.2			
	5.3	1892	1.7	177.25	30.0	11.2			
	6.2	1612	2.0	150.99	30.0	11.2			
	7.0	1424	2.2	133.43	30.0	11.2			
	7.6	1313	2.4	122.97	30.0	11.2			
8.3	1197	2.6	112.19	30.0	11.2				
<b>1.50</b>	56.7	245	1.0	16.57	4.8	4.8	<b>D 302 - 100L/6A</b> <b>M 302 - 100L/6A</b>	40	78
	60.5	230	1.1	15.55	4.7	4.7			
	67.4	206	1.1	13.95	4.7	4.7			
	82.6	168	1.2	11.38	4.5	4.5			
	106.7	130	1.4	8.81	4.3	4.3			
	53.9	247	1.1	53.04	4.9	4.9	<b>D/M 302 - 90S/2A</b> <b>D/M 302 - 80M/2C</b>	33	78
	59.7	223	1.2	47.91	4.8	4.8			
	66.1	202	1.3	43.27	4.7	4.7			
	70.6	189	1.4	40.53	4.7	4.7			
	77.1	173	1.5	37.09	4.6	4.6			
	86.5	154	1.5	33.07	4.5	4.5			
	93.9	142	1.6	30.46	4.4	4.4			
	101.2	132	1.7	28.26	4.3	4.3			
	109.0	122	1.8	26.24	4.3	4.3			
	116.9	114	1.7	24.47	4.2	4.2			
	133.6	100	2.0	21.40	4.1	4.1			
	150.9	88	2.1	18.95	4.0	4.0			
	172.6	77	2.4	16.57	3.8	3.8			
	184.0	72	2.5	15.55	3.8	3.8			
	205.0	65	2.5	13.95	3.7	3.7			
	251.3	53	2.7	11.38	3.5	3.5			
	324.5	41	3.1	8.81	3.2	3.2			
	38.3	359	0.9	37.09	4.9	4.9	<b>D 302 - 90L/4A</b> <b>M 302 - 90L/4A</b>	34	78
	42.9	320	0.9	33.07	4.9	4.9			
	46.6	295	1.0	30.46	4.9	4.9			
	50.2	274	1.1	28.26	4.8	4.8			
	54.1	254	1.1	26.24	4.8	4.8			
	58.0	237	1.1	24.47	4.7	4.7			
	66.3	207	1.3	21.40	4.7	4.7			
	74.9	183	1.3	18.95	4.6	4.6			
	85.7	160	1.5	16.57	4.5	4.5			
	91.3	151	1.6	15.55	4.4	4.4			
101.8	135	1.6	13.95	4.3	4.3				
124.7	110	1.7	11.38	4.1	4.1				
161.1	85	2.0	8.81	3.9	3.9				
21.2	655	1.0	44.32	10.0	4.0	<b>D 352 - 100L/6A</b> <b>M 352 - 100L/6A</b>			
23.5	591	1.1	40.00	10.0	4.0				
25.3	549	1.1	37.14	10.0	4.0				
27.2	510	1.1	34.50	10.0	4.0				
30.8	451	1.2	30.50	10.0	4.0				
33.4	416	1.2	28.13	10.0	4.0				
36.8	378	1.3	25.56	9.9	4.0				
39.9	348	1.4	23.57	9.8	3.9				
47.2	295	1.6	19.93	9.5	3.8				
57.8	240	2.0	16.25	9.1	3.6				
69.0	201	2.2	13.62	8.7	3.5				
78.4	177	2.3	11.99	8.5	3.4				
96.2	144	2.6	9.77	8.0	3.2				
114.8	121	2.9	8.19	7.7	3.1				



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm			
<b>1.50</b>	41.8	319	1.4	68.49	9.7	3.9	<b>D/M 352 - 90S/2A D/M 352 - 80M/2C</b>	37	80			
	51.2	260	1.8	55.83	9.3	3.7						
	52.6	253	1.8	54.36	9.3	3.7						
	61.1	218	2.1	46.79	9.0	3.6						
	64.5	206	2.2	44.32	8.9	3.6						
	71.5	186	2.4	40.00	8.7	3.5						
	77.0	173	2.6	37.14	8.5	3.4						
	82.9	161	2.6	34.50	8.4	3.3						
	93.8	142	2.7	30.50	8.1	3.2						
	101.7	131	2.8	28.13	7.9	3.2						
	111.9	119	3.1	25.56	7.7	3.1						
	121.3	110	3.3	23.57	7.6	3.0						
	143.5	93	3.8	19.93	7.2	2.9						
	20.7	663	0.9	68.49	10.0	4.0				<b>D 352 - 90L/4A M 352 - 90L/4A</b>	38	80
	25.4	541	1.1	55.83	10.0	4.0						
	26.1	526	1.1	54.36	10.0	4.0						
	30.3	453	1.3	46.79	10.0	4.0						
	32.0	429	1.4	44.32	10.0	4.0						
	35.5	387	1.5	40.00	9.9	4.0						
	38.2	360	1.7	37.14	9.8	3.9						
	41.2	334	1.6	34.50	9.7	3.9						
	46.6	295	1.7	30.50	9.5	3.8						
	50.5	272	1.8	28.13	9.3	3.7						
	55.6	248	1.9	25.56	9.1	3.6						
	60.2	228	2.1	23.57	9.0	3.6						
	71.2	193	2.4	19.93	8.6	3.4						
	87.4	157	2.9	16.25	8.2	3.3						
	104.3	132	3.2	13.62	7.8	3.1						
	118.5	116	3.4	11.99	7.6	3.0						
	145.3	95	3.8	9.77	7.2	2.9						
	35.2	370	1.2	81.25	10.0	4.0	<b>D/M 353 - 90S/2A D/M 353 - 80M/2C</b>	37	80			
	15.4	902	1.2	61.05	18.0	7.2	<b>D 402 - 100L/6A M 402 - 100L/6A</b>	54	82			
	17.6	790	1.3	53.44	18.0	7.2						
	19.0	732	1.4	49.50	18.0	7.2						
	22.2	626	1.7	42.38	18.0	7.2						
	23.8	583	1.8	39.44	18.0	7.2						
	27.4	508	2.1	34.36	18.0	7.1						
	30.1	462	2.3	31.28	18.0	7.0						
	33.3	417	2.3	28.22	18.0	6.8						
	35.0	397	2.4	26.83	18.0	6.7						
	39.8	349	2.4	23.60	18.0	6.4						
	43.2	322	2.6	21.75	18.0	6.3						
	47.5	293	2.8	19.80	18.0	6.1						
	55.3	251	3.2	16.99	18.0	5.8						
	61.0	228	3.5	15.42	18.0	5.7						
	46.8	284	2.7	61.05	18.0	6.1				<b>D/M 402 - 90S/2A D/M 402 - 80M/2C</b>	46	82
	53.5	249	3.1	53.44	18.0	5.8						
	57.8	231	3.3	49.50	18.0	5.7						
	67.5	197	3.8	42.38	18.0	5.4						
	72.5	184	4.1	39.44	18.0	5.3						
23.3	591	1.7	61.05	18.0	7.2	<b>D 402 - 90L/4A M 402 - 90L/4A</b>	47	82				
26.6	518	1.9	53.44	18.0	7.2							
28.7	479	2.1	49.50	18.0	7.0							
33.5	410	2.4	42.38	18.0	6.7							
36.0	382	2.6	39.44	18.0	6.6							
41.3	333	3.0	34.36	18.0	6.3							
45.4	303	3.3	31.28	18.0	6.1							
50.3	273	3.3	28.22	18.0	5.9							
52.9	260	3.5	26.83	18.0	5.8							
60.2	229	3.5	23.60	18.0	5.6							
65.3	211	3.8	21.75	18.0	5.5							
71.7	192	4.0	19.80	18.0	5.3							
12.6	1078	1.0	74.45	18.0	7.2				<b>D 403 - 100L/6A M 403 - 100L/6A</b>	54	82	
13.9	981	1.1	67.77	18.0	7.2							



P <sub>1</sub> [kW]	n <sub>2</sub> [Min <sup>-1</sup> ]	M <sub>2</sub> [Nm]	f <sub>B</sub>	i <sub>ges</sub>	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	Kg ~	mm	
<b>1.50</b>	18.0	724	1.0	158.93	18.0	7.2	D 403 - 80M/2C M 403 - 80M/2C	46	82	
	22.2 24.4 31.1 38.4 42.2	587 535 419 339 309	1.3 1.4 1.8 2.2 2.5	128.86 117.30 91.83 74.45 67.77	18.0 18.0 18.0 18.0 18.0	7.2 7.2 6.8 6.4 6.2	D/M 403 - 90S/2A D/M 403 - 80M/2C	46	82	
	15.5 19.1 21.0	871 706 643	1.1 1.4 1.6	91.83 74.45 67.77	18.0 18.0 18.0	7.2 7.2 7.2	D 403 - 90L/4A M 403 - 90L/4A	47	82	
	14.1 16.1 17.3 20.3 21.7 24.9 27.4 29.5 32.0 36.3	988 865 803 686 641 557 508 471 434 383	1.7 1.9 1.7 2.4 2.1 2.8 2.9 3.3 3.6 4.1	66.83 58.50 54.31 46.39 43.33 37.70 34.36 31.86 29.36 25.89	22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0	9.0 9.0 9.0 9.0 9.0 9.0 8.9 8.7 8.5 8.2	D 502 - 100L/6A M 502 - 100L/6A	65	84	
	42.8 52.7	311 253	3.9 3.9	66.83 54.31	22.0 22.0	7.7 7.3	D/M 502 - 90S/2A D/M 502 - 80M/2C	57	84	
	21.2 24.3 26.1 30.6 32.8 37.7	647 567 526 449 420 365	2.5 2.8 2.5 3.6 3.1 4.1	66.83 58.50 54.31 46.39 43.33 37.70	22.0 22.0 22.0 22.0 22.0 22.0	9.0 9.0 9.0 8.5 8.4 8.0	D 502 - 90L/4A M 502 - 90L/4A	58	84	
	8.5 9.4 11.5 12.6	1603 1455 1183 1078	1.0 1.2 1.4 1.6	110.73 100.51 81.69 74.45	22.0 22.0 22.0 22.0	9.0 9.0 9.0 9.0	D 503 - 100L/6A M 503 - 100L/6A	65	84	
	12.8 14.1 16.4 20.2 22.2 25.8 28.5 35.0 38.4	1016 926 793 644 587 505 458 372 339	1.2 1.3 1.5 1.9 2.1 2.4 2.7 3.3 3.6	222.80 203.06 173.97 141.39 128.86 110.73 100.51 81.69 74.45	22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0	9.0 9.0 9.0 9.0 9.0 9.0 8.7 8.2 8.0	D/M 503 - 90S/2A D/M 503 - 80M/2C	57	84	
	8.2 10.0 11.0 12.8 14.1 17.4 19.1	1650 1341 1222 1050 953 775 706	1.0 1.2 1.3 1.5 1.7 2.1 2.3	173.97 141.39 128.86 110.73 100.51 81.69 74.45	22.0 22.0 22.0 22.0 22.0 22.0 22.0	9.0 9.0 9.0 9.0 9.0 9.0 9.0	D 503 - 90L/4A M 503 - 90L/4A	58	84	
	14.1 17.3 18.9	989 805 735	3.2 3.4 3.4	66.88 54.47 49.69	30.0 30.0 30.0	11.2 11.2 11.2	D 602 - 100L/6A M 602 - 100L/6A	99	86	
	4.8 5.3 6.2 7.0 7.6 8.4 10.8 13.3	2813 2566 2186 1932 1780 1624 1256 1023	1.1 1.2 1.4 1.6 1.8 1.9 2.5 2.8	194.28 177.25 150.99 133.43 122.97 112.19 86.78 70.67	30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0	11.2 11.2 11.2 11.2 11.2 11.2 11.2 11.2	D 603 - 100L/6A M 603 - 100L/6A	99	86	





$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm			
<b>1.50</b>	8.3	1566	1.5	343.64	30.0	11.2	D/M 603 - 90S/2A D/M 603 - 80M/2C	92	86			
	9.5	1371	1.7	300.83	30.0	11.2						
	10.2	1276	1.8	279.86	30.0	11.2						
	12.0	1087	2.1	238.56	30.0	11.2						
	14.7	886	2.6	194.28	30.0	11.2						
	16.1	808	2.8	177.25	30.0	11.2						
	18.9	688	3.3	150.99	30.0	11.2						
	21.4	608	3.7	133.43	30.0	11.2						
	23.3	560	4.1	122.97	30.0	11.2						
	4.1	3259	0.9	343.64	30.0	11.2				D 603 - 90L/4A M 603 - 90L/4A	93	86
	4.7	2853	1.1	300.83	30.0	11.2						
	5.1	2654	1.1	279.86	30.0	11.2						
	6.0	2262	1.3	238.56	30.0	11.2						
	7.3	1842	1.6	194.28	30.0	11.2						
	8.0	1681	1.8	177.25	30.0	11.2						
	9.4	1432	2.1	150.99	30.0	11.2						
	10.6	1265	2.4	133.43	30.0	11.2						
	11.5	1166	2.6	122.97	30.0	11.2						
	12.7	1064	2.8	112.19	30.0	11.2						
<b>1.85</b>	83.0	206	1.0	11.38	4.3	4.3	D 302 - 100L/6 M 302 - 100L/6	41	78			
	107.2	160	1.1	8.81	4.1	4.1						
	53.7	316	0.9	26.24	4.4	4.4	D 302 - 90L/4 M 302 - 90L/4	34	78			
	65.9	257	1.1	21.40	4.4	4.4						
	74.4	228	1.1	18.95	4.3	4.3						
	85.1	199	1.3	16.57	4.2	4.2						
	90.7	187	1.3	15.55	4.2	4.2						
	101.1	168	1.3	13.95	4.1	4.1						
	123.9	137	1.5	11.38	4.0	4.0						
	160.0	106	1.7	8.81	3.8	3.8						
	25.4	674	0.9	37.14	9.6	3.8	D 352 - 100L/6 M 352 - 100L/6	45	80			
	31.0	553	0.9	30.50	9.5	3.8						
	33.6	510	1.0	28.13	9.4	3.8						
	37.0	464	1.1	25.56	9.3	3.7						
	40.1	427	1.2	23.57	9.2	3.7						
	47.4	361	1.3	19.93	9.0	3.6						
	58.2	295	1.6	16.25	8.7	3.5						
	69.4	247	1.8	13.62	8.4	3.4						
	78.8	217	1.9	11.99	8.2	3.3						
	96.7	177	2.1	9.77	7.8	3.1						
	115.4	149	2.3	8.19	7.5	3.0						
	25.3	672	0.9	55.83	9.6	3.8				D 352 - 90L/4 M 352 - 90L/4	38	80
	25.9	654	0.9	54.36	9.6	3.8						
	30.1	563	1.1	46.79	9.5	3.8						
	31.8	533	1.1	44.32	9.5	3.8						
	35.3	481	1.2	40.00	9.4	3.7						
	38.0	447	1.3	37.14	9.3	3.7						
	40.9	415	1.3	34.50	9.2	3.7						
	46.2	367	1.4	30.50	9.0	3.6						
	50.1	338	1.4	28.13	8.9	3.6						
	55.2	307	1.6	25.56	8.7	3.5						
	59.8	284	1.7	23.57	8.6	3.4						
	70.7	240	1.9	19.93	8.3	3.3						
86.8	195	2.3	16.25	8.0	3.2							
103.5	164	2.6	13.62	7.6	3.1							
117.6	144	2.7	11.99	7.4	3.0							
144.3	118	3.1	9.77	7.0	2.8							
172.2	99	3.3	8.19	6.7	2.7							



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	Kg ~	mm
<b>1.85</b>	17.7	969	1.1	53.44	18.0	7.2	<b>D 402 - 100L/6 M 402 - 100L/6</b>	55	82
	19.1	898	1.2	49.50	18.0	7.2			
	22.3	769	1.4	42.38	18.0	7.2			
	24.0	715	1.5	39.44	18.0	7.2			
	27.5	623	1.7	34.36	18.0	7.0			
	30.2	567	1.9	31.28	18.0	6.9			
	33.5	512	1.8	28.22	18.0	6.7			
	35.2	486	1.9	26.83	18.0	6.6			
	40.0	428	2.0	23.60	18.0	6.3			
	43.4	394	2.1	21.75	18.0	6.2			
	47.7	359	2.3	19.80	18.0	6.0	<b>D 402 - 90L/4 M 402 - 90L/4</b>	47	82
	55.6	308	2.6	16.99	18.0	5.8			
	61.3	280	2.9	15.42	18.0	5.6			
	75.6	227	3.5	12.50	18.0	5.3			
	83.1	206	3.6	11.38	17.9	5.1			
	97.3	176	3.9	9.71	17.1	4.9			
	23.1	734	1.4	61.05	18.0	7.2			
	26.4	643	1.6	53.44	18.0	7.0			
	28.5	595	1.7	49.50	18.0	6.9			
	33.3	510	2.0	42.38	18.0	6.6			
	35.7	474	2.1	39.44	18.0	6.5	<b>D 403 - 90L/4 M 403 - 90L/4</b>	47	82
	41.0	413	2.4	34.36	18.0	6.2			
	45.1	376	2.7	31.28	18.0	6.1			
	50.0	339	2.7	28.22	18.0	5.9			
	52.6	323	2.8	26.83	18.0	5.8			
	59.7	284	2.8	23.60	18.0	5.6			
	64.8	262	3.1	21.75	18.0	5.4			
	71.2	238	3.2	19.80	18.0	5.3			
	83.0	204	3.8	16.99	17.7	5.0			
		15.4	1082	0.9	91.83	18.0			
18.9		877	1.1	74.45	18.0	7.2			
20.8		798	1.3	67.77	18.0	7.2			
	14.1	1212	1.4	66.83	22.0	9.0	<b>D 502 - 100L/6 M 502 - 100L/6</b>	66	84
	16.2	1061	1.6	58.50	22.0	9.0			
	17.4	985	1.4	54.31	22.0	9.0			
	20.4	841	2.0	46.39	22.0	9.0			
	21.8	786	1.7	43.33	22.0	9.0			
	25.1	684	2.3	37.70	22.0	9.0			
	27.5	623	2.4	34.36	22.0	8.8			
	29.7	578	2.7	31.86	22.0	8.6			
	32.2	532	3.0	29.36	22.0	8.4			
	36.5	470	3.4	25.89	22.0	8.1			
	39.6	433	3.6	23.86	22.0	7.9	<b>D 502 - 90L/4 M 502 - 90L/4</b>	58	84
	43.4	394	3.7	21.75	22.0	7.7			
	21.1	804	2.0	66.83	22.0	9.0			
	24.1	704	2.3	58.50	22.0	9.0			
	26.0	653	2.0	54.31	22.0	8.9			
	30.4	558	2.9	46.39	22.0	8.5			
	32.5	521	2.5	43.33	22.0	8.3			
	37.4	454	3.3	37.70	22.0	8.0			
	41.0	413	3.4	34.36	22.0	7.7			
	44.3	383	3.9	31.86	22.0	7.6			
	9.4	1785	0.9	100.51	22.0	9.0	<b>D 503 - 100L/6 M 503 - 100L/6</b>	66	84
	11.6	1451	1.2	81.69	22.0	9.0			
	12.7	1322	1.3	74.45	22.0	9.0			
	10.0	1665	1.0	141.39	22.0	9.0	<b>D 503 - 90L/4 M 503 - 90L/4</b>	58	84
	10.9	1518	1.1	128.86	22.0	9.0			
	12.7	1304	1.2	110.73	22.0	9.0			
	14.0	1184	1.4	100.51	22.0	9.0			
	17.3	962	1.7	81.69	22.0	9.0			
	18.9	877	1.8	74.45	22.0	9.0			
	14.1	1213	2.6	66.88	30.0	11.2	<b>D 602 - 100L/6 M 602 - 100L/6</b>	101	86
	17.4	988	2.8	54.47	30.0	11.2			
	19.0	901	2.8	49.69	30.0	11.2			
	21.4	801	3.9	44.19	30.0	11.2			
	21.1	804	3.7	66.88	30.0	11.2	<b>D 602 - 90L/4 M 602 - 90L/4</b>	93	86
	25.9	655	4.0	54.47	30.0	11.2			



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm					
<b>1.85</b>	5.3	3148	1.0	177.25	30.0	11.2	<b>D 603 - 100L/6</b> <b>M 603 - 100L/6</b>	101	86					
	6.3	2682	1.2	150.99	30.0	11.2								
	7.1	2370	1.3	133.43	30.0	11.2								
	7.7	2184	1.4	122.97	30.0	11.2								
	8.4	1993	1.6	112.19	30.0	11.2								
	10.9	1541	2.0	86.78	30.0	11.2								
	13.4	1255	2.3	70.67	30.0	11.2								
	<b>2.20</b>	5.0	3296	0.9	279.86	30.0	11.2	<b>D 603 - 90L/4</b> <b>M 603 - 90L/4</b>	93	86				
		5.9	2810	1.1	238.56	30.0	11.2							
		7.3	2288	1.3	194.28	30.0	11.2							
		8.0	2088	1.4	177.25	30.0	11.2							
		9.3	1778	1.7	150.99	30.0	11.2							
		10.6	1572	1.9	133.43	30.0	11.2							
		11.5	1448	2.1	122.97	30.0	11.2							
		12.6	1321	2.3	112.19	30.0	11.2							
		<b>2.20</b>	85.1	237	1.0	16.57	4.0				4.0	<b>D 302 - 100L/4A</b> <b>M 302 - 100L/4A</b>	41	78
			90.7	222	1.1	15.55	4.0				4.0			
	101.1		200	1.1	13.95	3.9	3.9							
123.9	163		1.2	11.38	3.8	3.8								
160.0	126		1.3	8.81	3.6	3.6								
93.9	208		1.1	30.46	4.0	4.0	<b>D 302 - 90L/2A</b> <b>M 302 - 90L/2A</b>	35	78					
101.2	193		1.1	28.26	4.0	4.0								
109.0	179		1.2	26.24	3.9	3.9								
116.9	167		1.2	24.47	3.9	3.9								
133.6	146		1.4	21.40	3.8	3.8								
150.9	129		1.4	18.95	3.7	3.7								
172.6	113		1.6	16.57	3.6	3.6								
184.0	106		1.7	15.55	3.6	3.6								
205.0	95		1.7	13.95	3.5	3.5								
251.3	78		1.9	11.38	3.3	3.3								
324.5	60		2.1	8.81	3.1	3.1								
<b>2.20</b>	31.8		634	0.9	44.32	8.8				3.5	<b>D 352 - 100L/4A</b> <b>M 352 - 100L/4A</b>	45	80	
	35.3		572	1.0	40.00	8.8	3.5							
	38.0	531	1.1	37.14	8.7	3.5								
	40.9	494	1.2	34.50	8.7	3.5								
	46.2	436	1.2	30.50	8.6	3.4								
	50.1	402	1.2	28.13	8.5	3.4								
	55.2	366	1.3	25.56	8.4	3.4								
	59.8	337	1.4	23.57	8.3	3.3								
	70.7	285	1.6	19.93	8.0	3.2								
	86.8	232	1.9	16.25	7.7	3.1								
	103.5	195	2.2	13.62	7.4	3.0								
	117.6	171	2.3	11.99	7.2	2.9								
	144.3	140	2.6	9.77	6.9	2.8								
	172.2	117	2.8	8.19	6.6	2.6								
	<b>2.20</b>	47.4	430	1.1	19.93	8.6	3.4	<b>D 352 - 112M/6A</b> <b>M 352 - 112M/6A</b>	54	80				
		58.2	350	1.3	16.25	8.3	3.3							
		69.4	294	1.5	13.62	8.1	3.2							
		78.8	259	1.6	11.99	7.9	3.2							
96.7		211	1.8	9.77	7.6	3.0								
115.4		177	2.0	8.19	7.3	2.9								
<b>2.20</b>	51.2	381	1.2	55.83	8.6	3.4	<b>D 352 - 90L/2A</b> <b>M 352 - 90L/2A</b>	39	80					
	52.6	371	1.2	54.36	8.5	3.4								
	61.1	320	1.4	46.79	8.3	3.3								
	64.5	303	1.5	44.32	8.3	3.3								
	71.5	273	1.7	40.00	8.1	3.2								
	77.0	254	1.8	37.14	8.0	3.2								
	82.9	236	1.9	34.50	7.9	3.2								
	93.8	208	2.0	30.50	7.7	3.1								
	101.7	192	2.0	28.13	7.5	3.0								
	111.9	175	2.1	25.56	7.4	3.0								
	121.3	161	2.2	23.57	7.2	2.9								
	143.5	136	2.6	19.93	7.0	2.8								
176.0	111	3.1	16.25	6.6	2.6									
210.0	93	3.4	13.62	6.3	2.5									
238.6	82	3.6	11.99	6.1	2.4									

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm			
<b>2.20</b>	23.1	873	1.1	61.05	18.0	7.2	<b>D 402 - 100L/4A</b> <b>M 402 - 100L/4A</b>	55	82			
	26.4	765	1.3	53.44	18.0	6.9						
	28.5	708	1.4	49.50	18.0	6.8						
	33.3	606	1.6	42.38	18.0	6.5						
	35.7	564	1.8	39.44	18.0	6.4						
	41.0	492	2.0	34.36	18.0	6.1						
	45.1	447	2.2	31.28	18.0	6.0						
	50.0	404	2.2	28.22	18.0	5.8						
	52.6	384	2.3	26.83	18.0	5.7						
	59.7	338	2.4	23.60	18.0	5.5						
	64.8	311	2.6	21.75	18.0	5.4						
	71.2	283	2.7	19.80	18.0	5.2						
	83.0	243	3.2	16.99	17.5	5.0						
	91.5	221	3.5	15.42	17.0	4.9						
	22.3	914	1.1	42.38	18.0	7.2				<b>D 402 - 112M/6A</b> <b>M 402 - 112M/6A</b>	63	82
	24.0	851	1.2	39.44	18.0	7.2						
	27.5	741	1.4	34.36	18.0	6.9						
	30.2	675	1.6	31.28	18.0	6.7						
	33.5	609	1.6	28.22	18.0	6.6						
	35.2	579	1.6	26.83	18.0	6.5						
	40.0	509	1.7	23.60	18.0	6.3						
	43.4	469	1.8	21.75	18.0	6.1						
	47.7	427	1.9	19.80	18.0	6.0						
	55.6	366	2.2	16.99	18.0	5.7						
	61.3	332	2.4	15.42	18.0	5.5						
	75.6	270	2.9	12.50	18.0	5.2						
	83.1	245	3.0	11.38	17.8	5.1						
	97.3	209	3.3	9.71	17.0	4.8						
	120.0	170	3.7	7.88	15.9	4.5						
	131.8	155	3.7	7.17	15.5	4.4						
	46.8	417	1.8	61.05	18.0	6.0	<b>D 402 - 90L/2A</b> <b>M 402 - 90L/2A</b>	48	82			
	53.5	365	2.1	53.44	18.0	5.7						
	57.8	338	2.2	49.50	18.0	5.6						
	67.5	290	2.6	42.38	18.0	5.4						
	72.5	269	2.8	39.44	18.0	5.2						
	83.2	235	3.2	34.36	17.6	5.0						
	91.4	214	3.6	31.28	17.1	4.9						
	101.4	193	3.5	28.22	16.6	4.7						
	106.6	183	3.7	26.83	16.4	4.7						
	121.2	161	3.8	23.60	15.7	4.5						
	131.5	149	4.1	21.75	15.3	4.4						
	18.9	1043	1.0	74.45	18.0	7.2	<b>D 403 - 100L/4A</b> <b>M 403 - 100L/4A</b>	54	82			
	20.8	949	1.1	67.77	18.0	7.2						
	31.1	614	1.2	91.83	18.0	6.6	<b>D 403 - 90L/2A</b> <b>M 403 - 90L/2A</b>	48	82			
	38.4	498	1.5	74.45	18.0	6.3						
	42.2	453	1.7	67.77	18.0	6.1						
	21.1	956	1.7	66.83	22.0	9.0	<b>D 502 - 100L/4A</b> <b>M 502 - 100L/4A</b>	66	84			
	24.1	837	1.9	58.50	22.0	9.0						
	26.0	777	1.7	54.31	22.0	8.8						
	30.4	664	2.4	46.39	22.0	8.4						
	32.5	620	2.1	43.33	22.0	8.2						
	37.4	539	2.8	37.70	22.0	7.9						
	41.0	492	2.8	34.36	22.0	7.7						
	44.3	456	3.3	31.86	22.0	7.5						
	48.0	420	3.6	29.36	22.0	7.3						
	54.5	370	4.0	25.89	22.0	7.1						



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm	
<b>2.20</b>	14.1	1441	1.2	66.83	22.0	9.0	<b>D 502 - 112M/6A M 502 - 112M/6A</b>	74	84	
	16.2	1262	1.3	58.50	22.0	9.0				
	17.4	1171	1.2	54.31	22.0	9.0				
	20.4	1000	1.7	46.39	22.0	9.0				
	21.8	935	1.5	43.33	22.0	9.0				
	25.1	813	1.9	37.70	22.0	9.0				
	27.5	741	2.0	34.36	22.0	8.7				
	29.7	687	2.3	31.86	22.0	8.5				
	32.2	633	2.5	29.36	22.0	8.3				
	36.5	558	2.8	25.89	22.0	8.0				
	39.6	515	3.1	23.86	22.0	7.9				
	43.4	469	3.1	21.75	22.0	7.6				
	50.6	403	3.7	18.67	22.0	7.3				
	56.0	364	3.8	16.88	22.0	7.1				
	68.9	296	4.3	13.72	22.0	6.7				
	75.6	270	3.9	12.50	22.0	6.5				
		42.8	457	2.7	66.83	22.0	7.6	<b>D 502 - 90L/2A M 502 - 90L/2A</b>	59	84
		48.9	400	3.0	58.50	22.0	7.3			
		52.7	371	2.7	54.31	22.0	7.2			
		61.7	317	3.8	46.39	22.0	6.8			
		66.0	296	3.3	43.33	22.0	6.7			
		12.7	1551	1.0	110.73	22.0	9.0	<b>D 503 - 100L/4A M 503 - 100L/4A</b>	66	84
		14.0	1408	1.1	100.51	22.0	9.0			
		17.3	1144	1.4	81.69	22.0	9.0			
		18.9	1043	1.5	74.45	22.0	9.0			
		16.4	1163	1.0	173.97	22.0	9.0	<b>D 503 - 90L/2A M 503 - 90L/2A</b>	59	84
		20.2	945	1.3	141.39	22.0	9.0			
		22.2	861	1.4	128.86	22.0	9.0			
		25.8	740	1.6	110.73	22.0	8.8			
		28.5	672	1.8	100.51	22.0	8.6			
		35.0	546	2.2	81.69	22.0	8.1			
		38.4	498	2.4	74.45	22.0	7.8			
		21.1	957	3.1	66.88	30.0	11.2	<b>D 602 - 100L/4A M 602 - 100L/4A</b>	101	86
		25.9	779	3.3	54.47	30.0	11.2			
		28.4	711	3.4	49.69	30.0	11.2			
		14.1	1442	2.2	66.88	30.0	11.2	<b>D 602 - 112M/6A M 602 - 112M/6A</b>	108	86
		17.4	1175	2.3	54.47	30.0	11.2			
		19.0	1072	2.4	49.69	30.0	11.2			
		21.4	953	3.3	44.19	30.0	11.2			
		22.7	898	3.5	41.65	30.0	11.2			
		26.5	770	4.1	35.72	30.0	11.2			
		7.3	2721	1.1	194.28	30.0	11.2	<b>D 603 - 100L/4A M 603 - 100L/4A</b>	101	86
		8.0	2483	1.2	177.25	30.0	11.2			
		9.3	2115	1.4	150.99	30.0	11.2			
		10.6	1869	1.6	133.43	30.0	11.2			
		11.5	1722	1.7	122.97	30.0	11.2			
		12.6	1571	1.9	112.19	30.0	11.2			
		16.2	1215	2.5	86.78	30.0	11.2			
		20.0	990	2.7	70.67	30.0	11.2			
		7.7	2597	1.2	122.97	30.0	11.2	<b>D 603 - 112M/6A M 603 - 112M/6A</b>	108	86
		8.4	2370	1.3	112.19	30.0	11.2			
		10.9	1833	1.7	86.78	30.0	11.2			
		13.4	1493	1.9	70.67	30.0	11.2			
		9.5	2011	1.1	300.83	30.0	11.2	<b>D 603 - 90L/2A M 603 - 90L/2A</b>	94	86
		10.2	1871	1.2	279.86	30.0	11.2			
		12.0	1595	1.4	238.56	30.0	11.2			
		14.7	1299	1.8	194.28	30.0	11.2			
		16.1	1185	1.9	177.25	30.0	11.2			
		18.9	1009	2.3	150.99	30.0	11.2			
		21.4	892	2.6	133.43	30.0	11.2			
		23.3	822	2.8	122.97	30.0	11.2			
		25.5	750	3.0	112.19	30.0	11.2			



P <sub>1</sub> [kW]	n <sub>2</sub> [Min <sup>-1</sup> ]	M <sub>2</sub> [Nm]	f <sub>B</sub>	i <sub>ges</sub>	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	Kg ~ 	 mm
<b>3.00</b>	174.4	153	1.2	16.57	3.4	3.4	<b>D 302 - 100L/2A</b> <b>M 302 - 100L/2A</b>	41	78
	185.9	143	1.3	15.55	3.4	3.4			
	207.1	129	1.2	13.95	3.3	3.3			
	253.9	105	1.4	11.38	3.2	3.2			
	327.9	81	1.6	8.81	3.0	3.0			
	160.0	172	1.0	8.81	3.4	3.4	<b>D 302 - 100L/4B</b> <b>M 302 - 100L/4B</b>	44	78
	65.2	409	1.1	44.32	7.6	3.0	<b>D 352 - 100L/2A</b> <b>M 352 - 100L/2A</b>	45	80
	72.3	369	1.2	40.00	7.5	3.0			
	77.8	342	1.3	37.14	7.4	3.0			
	83.8	318	1.4	34.50	7.3	2.9			
	94.8	281	1.5	30.50	7.2	2.9			
	102.8	259	1.5	28.13	7.1	2.8			
	113.1	236	1.5	25.56	7.0	2.8			
	122.6	217	1.6	23.57	6.9	2.8			
	145.0	184	1.9	19.93	6.6	2.7			
	177.8	150	2.3	16.25	6.4	2.5			
	212.2	126	2.5	13.62	6.1	2.4			
	241.1	111	2.7	11.99	5.9	2.4			
	295.7	90	3.0	9.77	5.6	2.2			
	352.8	76	3.3	8.19	5.3	2.1			
	55.2	499	1.0	25.56	7.5	3.0	<b>D 352 - 100L/4B</b> <b>M 352 - 100L/4B</b>	48	80
	59.8	460	1.0	23.57	7.5	3.0			
	70.7	389	1.2	19.93	7.4	3.0			
	86.8	317	1.4	16.25	7.2	2.9			
	103.5	266	1.6	13.62	7.0	2.8			
	117.6	234	1.7	11.99	6.8	2.7			
	144.3	191	1.9	9.77	6.6	2.6			
	172.2	160	2.1	8.19	6.3	2.5			
58.8	473	1.0	16.25	7.5	3.0	<b>D 352 - 112M/6</b> <b>M 352 - 112M/6</b>	69	80	
70.1	396	1.1	13.62	7.4	3.0				
79.7	349	1.2	11.99	7.3	2.9				
97.7	284	1.3	9.77	7.1	2.8				
116.6	238	1.5	8.19	6.9	2.8				
47.3	563	1.4	61.05	18.0	5.8	<b>D 402 - 100L/2A</b> <b>M 402 - 100L/2A</b>	55	82	
54.1	493	1.5	53.44	18.0	5.6				
58.4	456	1.7	49.50	18.0	5.5				
68.2	391	1.9	42.38	18.0	5.3				
73.3	364	2.1	39.44	18.0	5.2				
84.1	317	2.4	34.36	17.3	5.0				
92.4	288	2.6	31.28	16.9	4.8				
102.4	260	2.6	28.22	16.4	4.7				
107.7	247	2.8	26.83	16.1	4.6				
122.5	218	2.8	23.60	15.5	4.4				
132.9	201	3.0	21.75	15.2	4.3				
146.0	183	3.2	19.80	14.7	4.2				
170.1	157	3.7	16.99	14.1	4.0				
187.5	142	4.1	15.42	13.7	3.9				
26.4	1043	1.0	53.44	18.0	6.7	<b>D 402 - 100L/4B</b> <b>M 402 - 100L/4B</b>	58	82	
28.5	966	1.0	49.50	18.0	6.5				
33.3	827	1.2	42.38	18.0	6.3				
35.7	769	1.3	39.44	18.0	6.2				
41.0	670	1.5	34.36	18.0	6.0				
45.1	610	1.6	31.28	18.0	5.8				
50.0	550	1.6	28.22	18.0	5.7				
52.6	523	1.7	26.83	18.0	5.6				
59.7	460	1.7	23.60	18.0	5.4				
64.8	424	1.9	21.75	18.0	5.3				
71.2	386	2.0	19.80	18.0	5.1				
83.0	331	2.3	16.99	17.2	4.9				
91.5	301	2.6	15.42	16.8	4.8				
112.8	244	3.1	12.50	15.8	4.5				
123.9	222	3.2	11.38	15.3	4.4				
145.2	189	3.4	9.71	14.7	4.2				
179.0	154	3.9	7.88	13.8	3.9				
196.7	140	3.9	7.17	13.4	3.8				



P <sub>1</sub> [kW]	n <sub>2</sub> [Min <sup>-1</sup> ]	M <sub>2</sub> [Nm]	f <sub>B</sub>	i <sub>ges</sub>	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>3.00</b>	27.8	1000	1.1	34.36	18.0	6.6	D 402 - 112M/6 M 402 - 112M/6	78	82
	30.5	910	1.2	31.28	18.0	6.5			
	33.8	821	1.2	28.22	18.0	6.3			
	35.6	781	1.2	26.83	18.0	6.3	D/M 402 - 132S/6B D/M 402 - 112M/6	78	82
	40.5	687	1.2	23.60	18.0	6.1			
	43.9	633	1.3	21.75	18.0	5.9			
	48.2	576	1.4	19.80	18.0	5.8			
	56.2	494	1.6	16.99	18.0	5.6			
	61.9	449	1.8	15.42	18.0	5.4			
	76.4	364	2.2	12.50	17.9	5.1			
	83.9	331	2.2	11.38	17.4	5.0			
	98.3	283	2.4	9.71	16.7	4.8			
	121.3	229	2.7	7.88	15.7	4.5			
	133.2	209	2.8	7.17	15.3	4.4			
	38.8	672	1.1	74.45	18.0	6.1	D 403 - 100L/2A M 403 - 100L/2A	55	82
	42.6	611	1.2	67.77	18.0	6.0			
	43.2	616	2.0	66.83	22.0	7.5	D 502 - 100L/2A M 502 - 100L/2A	66	84
	49.4	539	2.3	58.50	22.0	7.2			
	53.2	501	2.0	54.31	22.0	7.1			
	62.3	428	2.8	46.39	22.0	6.7			
	66.7	400	2.5	43.33	22.0	6.6			
	76.6	348	3.3	37.70	22.0	6.3			
	84.1	317	3.4	34.36	21.6	6.2			
	90.7	294	3.9	31.86	21.1	6.0			
	98.4	271	4.2	29.36	20.6	5.9			
	21.1	1304	1.2	66.83	22.0	9.0			
	24.1	1141	1.4	58.50	22.0	8.7			
	26.0	1059	1.2	54.31	22.0	8.6			
	30.4	905	1.8	46.39	22.0	8.2			
	32.5	845	1.5	43.33	22.0	8.0			
	37.4	735	2.0	37.70	22.0	7.7			
	41.0	670	2.1	34.36	22.0	7.5			
	44.3	621	2.4	31.86	22.0	7.4			
	48.0	573	2.6	29.36	22.0	7.2			
	54.5	505	3.0	25.89	22.0	7.0			
	59.1	466	3.2	23.86	22.0	6.8			
	64.8	424	3.3	21.75	22.0	6.6			
	75.5	364	3.8	18.67	22.0	6.3			
	83.6	329	3.9	16.88	21.4	6.1			
	112.8	244	4.1	12.50	19.6	5.6			
	16.3	1702	1.0	58.50	22.0	9.0	D 502 - 112M/6 M 502 - 112M/6	89	84
	22.0	1261	1.1	43.33	22.0	9.0			
	20.6	1350	1.2	46.39	22.0	9.0	D/M 502 - 132S/6B D/M 502 - 112M/6	89	84
	25.3	1097	1.2	37.70	22.0	8.7			
	27.8	1000	1.6	34.36	22.0	8.5			
	30.0	927	1.6	31.86	22.0	8.3			
	32.5	854	1.8	29.36	22.0	8.2			
	36.9	754	2.1	25.89	22.0	7.9			
40.0	694	2.3	23.86	22.0	7.7				
43.9	633	2.5	21.75	22.0	7.5				
51.2	543	2.7	18.67	22.0	7.2				
56.6	491	3.0	16.88	22.0	7.0				
69.6	399	3.4	13.72	22.0	6.6				
76.4	364	2.9	12.50	22.0	6.4				
89.8	309	3.2	10.63	21.3	6.1				
110.5	251	3.8	8.64	20.0	5.7				
121.3	229	3.9	7.88	19.5	5.6				
26.1	999	1.2	110.73	22.0	8.6	D 503 - 100L/2A M 503 - 100L/2A	66	84	
28.8	907	1.3	100.51	22.0	8.4				
35.4	737	1.6	81.69	22.0	7.9				
38.8	672	1.8	74.45	22.0	7.7				
17.3	1560	1.0	81.69	22.0	9.0	D 503 - 100L/4B M 503 - 100L/4B	69	84	
18.9	1422	1.1	74.45	22.0	9.0				
43.2	617	3.7	66.88	30.0	10.6	D 602 - 100L/2A M 602 - 100L/2A	101	86	
53.1	502	3.9	54.47	30.0	10.0				
58.2	458	4.0	49.69	30.0	9.7				



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>3.00</b>	21.1	1305	2.3	66.88	30.0	11.2	<b>D 602 - 100L/4B</b> <b>M 602 - 100L/4B</b>	104	86
	25.9	1062	2.4	54.47	30.0	11.2			
	28.4	969	2.5	49.69	30.0	11.2			
	31.9	862	3.5	44.19	30.0	11.2			
	33.9	813	3.7	41.65	30.0	11.2			
	14.3	1946	1.6	66.88	30.0	11.2	<b>D/M 602 - 132S/6B</b> <b>D/M 602 - 112M/6</b>	124	86
	17.5	1585	1.7	54.47	30.0	11.2			
	19.2	1446	1.7	49.69	30.0	11.2			
	21.6	1286	2.4	44.19	30.0	11.2			
	22.9	1212	2.6	41.65	30.0	11.2			
	26.7	1039	3.0	35.72	30.0	11.2			
	28.2	987	3.2	33.92	30.0	11.2			
	30.9	901	3.5	30.95	30.0	11.2			
	32.9	845	3.7	29.04	30.0	11.2			
	36.0	772	4.1	26.54	30.0	11.2			
	14.9	1753	1.3	194.28	30.0	10.9	<b>D 603 - 100L/2A</b> <b>M 603 - 100L/2A</b>	101	86
	16.3	1599	1.4	177.25	30.0	11.2			
	19.1	1362	1.7	150.99	30.0	11.2			
	21.7	1204	1.9	133.43	30.0	11.2			
	23.5	1109	2.1	122.97	30.0	11.2			
	25.8	1012	2.3	112.19	30.0	11.2			
	33.3	783	2.9	86.78	30.0	11.2			
	40.9	638	3.2	70.67	30.0	11.2			
	9.3	2884	1.0	150.99	30.0	11.2	<b>D 603 - 100L/4B</b> <b>M 603 - 100L/4B</b>	104	86
	10.6	2548	1.2	133.43	30.0	11.2			
	11.5	2349	1.3	122.97	30.0	11.2			
	12.6	2143	1.4	112.19	30.0	11.2			
	16.2	1657	1.8	86.78	30.0	11.2			
20.0	1350	2.0	70.67	30.0	11.2				
8.5	3197	1.0	112.19	30.0	11.2	<b>D 603 - 112M/6</b> <b>M 603 - 112M/6</b>			
11.0	2473	1.3	86.78	30.0	11.2	<b>D/M 603 - 132S/6B</b> <b>D/M 603 - 112M/6</b>	124	86	
13.5	2014	1.4	70.67	30.0	11.2				
<b>4.00</b>	253.9	140	1.0	11.38	3.0	3.0	<b>D 302 - 100L/2C</b> <b>M 302 - 100L/2C</b>	50	78
	327.9	108	1.2	8.81	2.8	2.8			
	102.8	346	1.1	28.13	6.6	2.6	<b>D 352 - 100L/2C</b> <b>M 352 - 100L/2C</b>	54	80
	113.1	314	1.2	25.56	6.5	2.6			
	122.6	290	1.2	23.57	6.4	2.6			
	145.0	245	1.4	19.93	6.3	2.5	<b>D/M 352 - 112M/2A</b> <b>D/M 352 - 100L/2C</b>	54	80
	177.8	200	1.7	16.25	6.0	2.4			
	212.2	167	1.9	13.62	5.8	2.3			
	241.1	147	2.0	11.99	5.7	2.3			
	295.7	120	2.3	9.77	5.4	2.2			
	352.8	101	2.5	8.19	5.2	2.1			
	71.7	511	0.9	19.93	6.6	2.6	<b>D 352 - 112M/4B</b> <b>M 352 - 112M/4B</b>	56	80
	88.0	417	1.1	16.25	6.5	2.6			
	105.0	349	1.2	13.62	6.4	2.6			
119.3	307	1.3	11.99	6.4	2.5				
146.3	251	1.4	9.77	6.2	2.5				
174.6	210	1.6	8.19	6.0	2.4				
54.1	657	1.2	53.44	18.0	5.4	<b>D 402 - 100L/2C</b> <b>M 402 - 100L/2C</b>			
58.4	608	1.2	49.50	18.0	5.3				






$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>4.00</b>	68.2	521	1.5	42.38	17.9	5.1	<b>D/M 402 - 112M/2A</b> <b>D/M 402 - 100L/2C</b>	63	82
	73.3	485	1.6	39.44	17.6	5.0			
	84.1	422	1.8	34.36	17.0	4.8			
	92.4	385	2.0	31.28	16.5	4.7			
	102.4	347	2.0	28.22	16.1	4.6			
	107.7	330	2.1	26.83	15.8	4.5			
	122.5	290	2.1	23.60	15.3	4.4			
	132.9	267	2.3	21.75	14.9	4.3			
	146.0	243	2.4	19.80	14.5	4.2			
	170.1	209	2.8	16.99	13.9	4.0			
	187.5	190	3.1	15.42	13.5	3.9			
	231.2	154	3.7	12.50	12.7	3.6			
	254.0	140	3.8	11.38	12.3	3.5			
	297.6	119	4.1	9.71	11.8	3.4			
	33.7	1087	0.9	42.38	18.0	6.0	<b>D 402 - 112M/4B</b> <b>M 402 - 112M/4B</b>	65	82
	36.3	1012	1.0	39.44	18.0	5.9			
	41.6	881	1.1	34.36	18.0	5.8			
	45.7	802	1.2	31.28	18.0	5.6			
	50.7	724	1.2	28.22	18.0	5.5			
	53.3	688	1.3	26.83	18.0	5.4			
	60.6	605	1.3	23.60	18.0	5.3			
	65.7	558	1.4	21.75	18.0	5.1			
	72.2	508	1.5	19.80	17.6	5.0			
	84.2	436	1.8	16.99	16.9	4.8			
	92.8	395	1.9	15.42	16.4	4.7			
	114.4	321	2.3	12.50	15.5	4.4			
	125.7	292	2.4	11.38	15.1	4.3			
	147.2	249	2.6	9.71	14.4	4.1			
	181.6	202	3.0	7.88	13.6	3.9			
	199.5	184	3.0	7.17	13.2	3.8			
	44.1	840	1.0	21.75	18.0	5.7	<b>D 402 - 132M/6A</b> <b>M 402 - 132M/6A</b>	85	82
	48.5	764	1.1	19.80	18.0	5.6			
	56.5	656	1.2	16.99	18.0	5.4			
	62.3	595	1.4	15.42	18.0	5.3			
	76.8	482	1.6	12.50	17.5	5.0			
	84.4	439	1.7	11.38	17.1	4.9			
98.8	375	1.8	9.71	16.4	4.7				
121.9	304	2.1	7.88	15.4	4.4				
133.9	277	2.1	7.17	15.0	4.3				
43.2	821	1.5	66.83	22.0	7.3	<b>D/M 502 - 112M/2A</b> <b>D/M 502 - 100L/2C</b>	74	84	
49.4	719	1.7	58.50	22.0	7.1				
53.2	668	1.5	54.31	22.0	6.9				
62.3	570	2.1	46.39	22.0	6.6				
66.7	533	1.9	43.33	22.0	6.5				
76.6	463	2.5	37.70	21.9	6.2				
84.1	422	2.5	34.36	21.3	6.1				
90.7	392	2.9	31.86	20.8	5.9				
98.4	361	3.2	29.36	20.3	5.8				
111.6	318	3.6	25.89	19.6	5.6				
121.1	293	3.9	23.86	19.1	5.5				
132.9	267	4.0	21.75	18.6	5.3				
21.4	1714	0.9	66.83	22.0	8.7	<b>D 502 - 112M/4B</b> <b>M 502 - 112M/4B</b>	76	84	
24.4	1500	1.1	58.50	22.0	8.4				
26.3	1393	0.9	54.31	22.0	8.3				
30.8	1190	1.3	46.39	22.0	8.0				
33.0	1111	1.2	43.33	22.0	7.8				
37.9	967	1.6	37.70	22.0	7.6				
41.6	881	1.6	34.36	22.0	7.4				
44.9	817	1.8	31.86	22.0	7.2				
48.7	753	2.0	29.36	22.0	7.1				
55.2	664	2.3	25.89	22.0	6.8				
59.9	612	2.5	23.86	22.0	6.7				
65.7	558	2.5	21.75	22.0	6.5				
76.6	479	2.9	18.67	21.8	6.2				
84.7	433	3.2	16.88	21.1	6.0				
104.3	352	3.7	13.72	19.9	5.7				
114.4	321	3.1	12.50	19.3	5.5				
134.5	273	3.5	10.63	18.4	5.3				
165.5	222	4.1	8.64	17.3	4.9				



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>4.00</b>	25.5	1455	1.1	37.70	22.0	8.4	<b>D 502 - 132M/6A M 502 - 132M/6A</b>	96	84
	27.9	1326	1.1	34.36	22.0	8.2			
	30.1	1230	1.3	31.86	22.0	8.1			
	32.7	1133	1.4	29.36	22.0	7.9			
	37.1	999	1.6	25.89	22.0	7.7			
	40.2	921	1.7	23.86	22.0	7.5			
	44.1	840	1.8	21.75	22.0	7.3			
	51.4	720	2.0	18.67	22.0	7.0			
	56.9	651	2.3	16.88	22.0	6.8			
	70.0	529	2.6	13.72	22.0	6.5			
	76.8	482	2.2	12.50	22.0	6.3			
	90.3	410	2.4	10.63	21.0	6.0			
	111.1	334	2.8	8.64	19.8	5.7			
	121.9	304	2.9	7.88	19.2	5.5			
	35.4	983	1.2	81.69	22.0	7.7			
	38.8	896	1.4	74.45	22.0	7.5			
	43.2	822	2.8	66.88	30.0	10.4	<b>D/M 602 - 112M/2A D/M 602 - 100L/2C</b>	108	86
	53.1	670	3.0	54.47	30.0	9.8			
	58.2	611	3.0	49.69	30.0	9.6			
	21.4	1715	1.7	66.88	30.0	11.2	<b>D 602 - 112M/4B M 602 - 112M/4B</b>	110	86
	26.3	1397	1.9	54.47	30.0	11.2			
	28.8	1274	1.9	49.69	30.0	11.2			
	32.4	1133	2.6	44.19	30.0	11.2			
	34.3	1068	2.8	41.65	30.0	11.0			
	40.0	916	3.3	35.72	30.0	10.5			
	42.2	870	3.4	33.92	30.0	10.4			
	46.2	794	3.8	30.95	30.0	10.2			
	14.4	2581	1.2	66.88	30.0	11.2	<b>D 602 - 132M/6A M 602 - 132M/6A</b>	131	86
	17.6	2102	1.3	54.47	30.0	11.2			
	19.3	1918	1.3	49.69	30.0	11.2			
	21.7	1706	1.8	44.19	30.0	11.2			
	23.0	1608	2.0	41.65	30.0	11.2			
	26.9	1379	2.3	35.72	30.0	11.2			
	28.3	1309	2.4	33.92	30.0	11.2			
	31.0	1195	2.6	30.95	30.0	11.2			
	33.1	1121	2.8	29.04	30.0	11.2			
	36.2	1024	3.1	26.54	30.0	10.9			
	40.6	913	3.3	23.65	30.0	10.6			
	44.5	833	3.5	21.58	30.0	10.4			
	16.3	2132	1.1	177.25	30.0	11.2	<b>D 603 - 100L/2C M 603 - 100L/2C</b>	108	86
	19.1	1816	1.3	150.99	30.0	11.2			
	21.7	1605	1.4	133.43	30.0	11.2			
	23.5	1479	1.5	122.97	30.0	11.2	<b>D/M 603 - 112M/2A D/M 603 - 100L/2C</b>	108	86
	25.8	1349	1.7	112.19	30.0	11.2			
	33.3	1044	2.2	86.78	30.0	11.2			
40.9	850	2.4	70.67	30.0	10.6				
11.6	3088	1.0	122.97	30.0	11.2	<b>D 603 - 112M/4B M 603 - 112M/4B</b>	110	86	
12.7	2817	1.1	112.19	30.0	11.2				
16.5	2179	1.4	86.78	30.0	11.2				
20.2	1775	1.5	70.67	30.0	11.2				
13.6	2672	1.1	70.67	30.0	11.2	<b>D 603 - 132M/6A M 603 - 132M/6A</b>	131	86	

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>4.80</b>	106.1	415	1.0	13.62	6.0	2.4	<b>D 352 - 112M/4</b> <b>M 352 - 112M/4</b>	56	80
	120.5	365	1.1	11.99	6.0	2.4			
	147.9	298	1.2	9.77	5.9	2.3			
	176.4	249	1.3	8.19	5.7	2.3			
	42.1	1047	1.0	34.36	18.0	5.6	<b>D 402 - 112M/4</b> <b>M 402 - 112M/4</b>	65	82
	46.2	953	1.0	31.28	18.0	5.5			
	51.2	859	1.0	28.22	18.0	5.4			
	53.9	817	1.1	26.83	18.0	5.3			
	61.2	719	1.1	23.60	18.0	5.1			
	66.4	662	1.2	21.75	17.6	5.0			
73.0	603	1.3	19.80	17.2	4.9				
85.0	517	1.5	16.99	16.6	4.7				
93.7	470	1.6	15.42	16.2	4.6				
115.6	381	2.0	12.50	15.3	4.4				
127.0	347	2.0	11.38	14.9	4.3				
148.8	296	2.2	9.71	14.3	4.1				
183.5	240	2.5	7.88	13.4	3.8				
201.6	218	2.5	7.17	13.1	3.7				
31.1	1413	1.1	46.39	22.0	7.8	<b>D 502 - 112M/4</b> <b>M 502 - 112M/4</b>	76	84	
33.3	1320	1.0	43.33	22.0	7.7				
38.3	1148	1.3	37.70	22.0	7.4				
42.1	1047	1.3	34.36	22.0	7.2				
45.4	970	1.5	31.86	22.0	7.1				
49.2	894	1.7	29.36	22.0	6.9				
55.8	789	1.9	25.89	22.0	6.7				
60.5	727	2.1	23.86	22.0	6.6				
66.4	662	2.1	21.75	22.0	6.4				
77.4	568	2.5	18.67	21.5	6.1				
85.6	514	2.7	16.88	20.9	6.0				
105.4	418	3.1	13.72	19.7	5.6				
115.6	381	2.6	12.50	19.2	5.5				
135.9	324	2.9	10.63	18.3	5.2				
167.2	263	3.4	8.64	17.2	4.9				
183.5	240	3.5	7.88	16.7	4.8				
21.6	2037	1.5	66.88	30.0	11.2	<b>D 602 - 112M/4</b> <b>M 602 - 112M/4</b>	110	86	
26.5	1659	1.6	54.47	30.0	11.2				
29.1	1513	1.6	49.69	30.0	11.2				
32.7	1346	2.2	44.19	30.0	10.9				
34.7	1269	2.4	41.65	30.0	10.8				
40.5	1088	2.8	35.72	30.0	10.4				
42.6	1033	2.9	33.92	30.0	10.2				
46.7	943	3.2	30.95	30.0	10.0				
49.8	884	3.4	29.04	30.0	9.8				
54.4	808	3.7	26.54	30.0	9.6				
61.1	720	4.0	23.65	30.0	9.3				
16.7	2588	1.2	86.78	30.0	11.2	<b>D 603 - 112M/4</b> <b>M 603 - 112M/4</b>	110	86	
20.4	2107	1.3	70.67	30.0	11.2				



$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm			
<b>5.50</b>	145.5	336	1.0	19.93	5.7	2.3	<b>D 352 - 112M/2C</b> <b>M 352 - 112M/2C</b>	67	80			
	178.5	274	1.2	16.25	5.6	2.2						
	212.9	229	1.4	13.62	5.4	2.2						
	241.9	202	1.5	11.99	5.3	2.1						
	296.7	165	1.7	9.77	5.1	2.0						
	354.1	138	1.8	8.19	4.9	2.0						
	68.4	714	1.1	42.38	17.3	4.9				<b>D 402 - 112M/2C</b> <b>M 402 - 112M/2C</b>	76	82
	73.5	664	1.1	39.44	17.0	4.9						
	84.4	579	1.3	34.36	16.4	4.7						
	92.7	527	1.4	31.28	16.0	4.6						
102.8	475	1.4	28.22	15.6	4.5							
108.1	452	1.5	26.83	15.4	4.4							
122.9	398	1.5	23.60	14.9	4.3							
133.3	366	1.7	21.75	14.6	4.2							
146.5	333	1.8	19.80	14.2	4.1							
170.7	286	2.0	16.99	13.6	3.9							
188.1	260	2.3	15.42	13.3	3.8							
232.0	211	2.7	12.50	12.5	3.6							
254.9	192	2.8	11.38	12.1	3.5							
298.6	164	3.0	9.71	11.6	3.3							
368.3	133	3.4	7.88	10.9	3.1							
404.6	121	3.5	7.17	10.6	3.0							
62.3	818	1.0	15.42	17.7	5.0	<b>D 402 - 132M/6B</b> <b>M 402 - 132M/6B</b>	90	82				
76.8	663	1.2	12.50	16.8	4.8							
84.4	604	1.2	11.38	16.5	4.7							
98.8	515	1.3	9.71	15.8	4.5							
121.9	418	1.5	7.88	15.0	4.3							
133.9	380	1.5	7.17	14.6	4.2							
53.9	936	1.0	26.83	18.0	5.2	<b>D 402 - 132S/4C</b> <b>M 402 - 132S/4C</b>	81	82				
61.2	824	1.0	23.60	17.6	5.0							
66.4	759	1.1	21.75	17.3	4.9							
73.0	691	1.1	19.80	16.9	4.8							
85.0	593	1.3	16.99	16.3	4.7							
93.7	538	1.4	15.42	15.9	4.6							
115.6	436	1.7	12.50	15.1	4.3							
127.0	397	1.8	11.38	14.7	4.2							
148.8	339	1.9	9.71	14.1	4.0							
183.5	275	2.2	7.88	13.3	3.8							
201.6	250	2.2	7.17	13.0	3.7							
43.4	1126	1.1	66.83	22.0	7.1	<b>D 502 - 112M/2C</b> <b>M 502 - 112M/2C</b>	87	84				
49.6	985	1.2	58.50	22.0	6.9							
53.4	915	1.1	54.31	22.0	6.7							
62.5	781	1.6	46.39	22.0	6.5							
66.9	730	1.4	43.33	22.0	6.3							
76.9	635	1.8	37.70	21.4	6.1							
84.4	579	1.8	34.36	20.8	6.0							
91.0	537	2.1	31.86	20.4	5.8							
98.8	495	2.3	29.36	19.9	5.7							
112.0	436	2.6	25.89	19.2	5.5							
121.5	402	2.8	23.86	18.8	5.4							
133.3	366	2.9	21.75	18.3	5.2							
155.4	314	3.4	18.67	17.5	5.0							
171.9	284	3.7	16.88	17.0	4.8							
211.4	231	4.3	13.72	15.9	4.6							
232.0	211	3.6	12.50	15.5	4.4							
272.8	179	4.0	10.63	14.8	4.2							
32.7	1558	1.0	29.36	22.0	7.6	<b>D 502 - 132M/6B</b> <b>M 502 - 132M/6B</b>	101	84				
37.1	1374	1.1	25.89	22.0	7.4							
40.2	1267	1.2	23.86	22.0	7.2							
44.1	1154	1.3	21.75	22.0	7.1							
51.4	991	1.5	18.67	22.0	6.8							
56.9	896	1.6	16.88	22.0	6.7							
70.0	728	1.9	13.72	22.0	6.3							
76.8	663	1.6	12.50	21.5	6.1							
90.3	564	1.8	10.63	20.6	5.9							
111.1	459	2.1	8.64	19.4	5.5							
121.9	418	2.1	7.88	18.9	5.4							

<b>P<sub>1</sub></b> [kW]	<b>n<sub>2</sub></b> [Min <sup>-1</sup> ]	<b>M<sub>2</sub></b> [Nm]	<b>f<sub>B</sub></b>	<b>i<sub>ges</sub></b>	<b>Fr2 D</b> [kN]	<b>Fr2 C-L</b> [kN]	<b>Typ / Type / Tip</b> <b>Tipo / Type / Tipo</b>	<b>Kg</b> ~						
<b>5.50</b>	31.1	1619	1.0	46.39	22.0	7.6	<b>D 502 - 132S/4C</b> <b>M 502 - 132S/4C</b>	92	84					
	38.3	1316	1.1	37.70	22.0	7.3								
	42.1	1199	1.2	34.36	22.0	7.1								
	45.4	1112	1.3	31.86	22.0	7.0								
	49.2	1025	1.5	29.36	22.0	6.8								
	55.8	904	1.7	25.89	22.0	6.6								
	60.5	833	1.8	23.86	22.0	6.5								
	66.4	759	1.8	21.75	22.0	6.3								
	77.4	651	2.1	18.67	21.3	6.1								
	85.6	589	2.4	16.88	20.7	5.9								
	105.4	479	2.7	13.72	19.5	5.6								
	115.6	436	2.3	12.50	19.0	5.4								
	135.9	371	2.6	10.63	18.2	5.2								
	167.2	302	3.0	8.64	17.1	4.9								
	183.5	275	3.1	7.88	16.6	4.7								
		43.4	1127	2.0	66.88	30.0	10.1	<b>D 602 - 112M/2C</b> <b>M 602 - 112M/2C</b>	122	86				
		53.2	917	2.2	54.47	30.0	9.6							
		58.4	837	2.2	49.69	30.0	9.3							
		65.6	744	3.1	44.19	30.0	9.0							
		69.6	702	3.2	41.65	30.0	8.9							
		81.2	602	3.8	35.72	29.8	8.5							
		85.5	571	4.0	33.92	29.4	8.4							
			19.3	2637	1.0	49.69	30.0	11.2	<b>D 602 - 132M/6B</b> <b>M 602 - 132M/6B</b>	136	86			
			21.7	2345	1.3	44.19	30.0	11.2						
			23.0	2211	1.4	41.65	30.0	11.2						
			26.9	1896	1.7	35.72	30.0	11.2						
			28.3	1800	1.7	33.92	30.0	11.1						
	31.0		1643	1.9	30.95	30.0	10.9							
	33.1		1541	2.0	29.04	30.0	10.7							
	36.2		1408	2.2	26.54	30.0	10.5							
	40.6		1255	2.4	23.65	30.0	10.2							
	44.5		1145	2.6	21.58	30.0	10.0							
			21.6	2334	1.3	66.88	30.0	11.2				<b>D 602 - 132S/4C</b> <b>M 602 - 132S/4C</b>	127	86
			26.5	1901	1.4	54.47	30.0	11.2						
		29.1	1734	1.4	49.69	30.0	11.0							
		32.7	1542	1.9	44.19	30.0	10.7							
34.7		1454	2.1	41.65	30.0	10.5								
40.5		1246	2.4	35.72	30.0	10.2								
42.6		1184	2.5	33.92	30.0	10.1								
46.7		1080	2.8	30.95	30.0	9.8								
49.8		1013	3.0	29.04	30.0	9.7								
54.4		926	3.2	26.54	30.0	9.4								
61.1		825	3.5	23.65	30.0	9.2								
67.0		753	3.7	21.58	30.0	8.9								
	23.6	2027	1.1	122.97	30.0	11.2	<b>D 603 - 112M/2C</b> <b>M 603 - 112M/2C</b>	122	86					
	25.8	1849	1.2	112.19	30.0	11.2								
	33.4	1430	1.6	86.78	30.0	10.8								
	41.0	1165	1.8	70.67	30.0	10.3								
	16.7	2965	1.0	86.78	30.0	11.2	<b>D 603 - 132S/4C</b> <b>M 603 - 132S/4C</b>	127	86					
	20.4	2415	1.1	70.67	30.0	11.2								
<b>7.50</b>	85.3	806	1.0	16.99	15.6	4.4	<b>D 402 - 132M/4B</b> <b>M 402 - 132M/4B</b>	92	82					
	94.1	731	1.1	15.42	15.3	4.4								
	116.0	593	1.3	12.50	14.5	4.2								
	127.4	540	1.3	11.38	14.2	4.1								
	149.3	461	1.4	9.71	13.7	3.9								
	184.1	373	1.6	7.88	13.0	3.7								
	202.3	340	1.6	7.17	12.7	3.6								
		45.5	1511	1.0	31.86	22.0	6.7	<b>D 502 - 132M/4B</b> <b>M 502 - 132M/4B</b>	103	84				
		49.4	1392	1.1	29.36	22.0	6.6							
		56.0	1228	1.2	25.89	22.0	6.4							
		60.8	1132	1.3	23.86	21.9	6.3							
		66.7	1031	1.4	21.75	21.4	6.1							
		77.7	885	1.6	18.67	20.6	5.9							
		85.9	800	1.7	16.88	20.1	5.7							
		105.7	650	2.0	13.72	19.1	5.4							
		116.0	593	1.7	12.50	18.6	5.3							
		136.4	504	1.9	10.63	17.8	5.1							
		167.8	410	2.2	8.64	16.8	4.8							
184.1		373	2.3	7.88	16.3	4.7								

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>7.50</b>	56.9	1221	1.2	16.88	22.0	6.4	<b>D 502 - 160M/6B</b> <b>M 502 - 160M/6B</b>	135	84
	70.0	993	1.4	13.72	21.3	6.1			
	76.8	905	1.2	12.50	20.8	6.0			
	90.3	769	1.3	10.63	20.0	5.7			
	111.1	625	1.5	8.64	18.9	5.4			
	121.9	570	1.6	7.88	18.5	5.3			
	21.7	3171	0.9	66.88	30.0	10.7	<b>D 602 - 132M/4B</b> <b>M 602 - 132M/4B</b>	138	86
	26.6	2583	1.0	54.47	30.0	10.4			
	29.2	2356	1.0	49.69	30.0	10.3			
	32.8	2096	1.4	44.19	30.0	10.1			
	34.8	1975	1.5	41.65	30.0	10.0			
	40.6	1694	1.8	35.72	30.0	9.7			
	42.7	1609	1.9	33.92	30.0	9.6			
	46.9	1468	2.0	30.95	30.0	9.4			
	49.9	1377	2.2	29.04	30.0	9.3			
	54.6	1258	2.4	26.54	30.0	9.1			
	61.3	1121	2.6	23.65	30.0	8.8			
	67.2	1023	2.7	21.58	30.0	8.6			
	23.0	3014	1.0	41.65	30.0	10.6	<b>D 602 - 160M/6B</b> <b>M 602 - 160M/6B</b>	172	86
	26.9	2585	1.2	35.72	30.0	10.4			
	28.3	2455	1.3	33.92	30.0	10.3			
	31.0	2240	1.4	30.95	30.0	10.2			
	33.1	2102	1.5	29.04	30.0	10.1			
	36.2	1921	1.6	26.54	30.0	9.9			
	40.6	1712	1.8	23.65	30.0	9.7			
	44.5	1562	1.9	21.58	30.0	9.5			
	55.5	1252	2.2	17.30	30.0	9.1			
	68.2	1019	2.5	14.09	30.0	8.7			
	74.7	930	2.5	12.85	29.6	8.5			
	82.4	843	2.4	11.65	28.9	8.3			
101.1	687	2.6	9.49	27.4	7.8				
110.9	627	2.5	8.66	26.8	7.6				
<b>9.20</b>	116.0	727	1.0	12.50	14.1	4.0	<b>D 402 - 132M/4</b> <b>M 402 - 132M/4</b>	92	82
	127.4	662	1.1	11.38	13.8	3.9			
	149.3	565	1.2	9.71	13.3	3.8			
	184.1	458	1.3	7.88	12.7	3.6			
	202.3	417	1.3	7.17	12.4	3.5			
	56.0	1506	1.0	25.89	21.6	6.2	<b>D 502 - 132M/4</b> <b>M 502 - 132M/4</b>	103	84
	60.8	1388	1.1	23.86	21.2	6.1			
	66.7	1265	1.1	21.75	20.8	5.9			
	77.7	1086	1.3	18.67	20.1	5.7			
	85.9	982	1.4	16.88	19.6	5.6			
	105.7	798	1.6	13.72	18.6	5.3			
	116.0	727	1.4	12.50	18.2	5.2			
	136.4	618	1.5	10.63	17.5	5.0			
	167.8	503	1.8	8.64	16.5	4.7			
	184.1	458	1.9	7.88	16.1	4.6			
	32.8	2571	1.2	44.19	30.0	9.5	<b>D 602 - 132M/4</b> <b>M 602 - 132M/4</b>	138	86
	34.8	2423	1.2	41.65	30.0	9.5			
	40.6	2078	1.4	35.72	30.0	9.3			
42.7	1973	1.5	33.92	30.0	9.2				
46.9	1800	1.7	30.95	30.0	9.0				
49.9	1689	1.8	29.04	30.0	8.9				
54.6	1544	1.9	26.54	30.0	8.8				
61.3	1376	2.1	23.65	30.0	8.6				
67.2	1255	2.2	21.58	29.4	8.4				
<b>11.00</b>	149.3	676	1.0	9.71	12.9	3.7	<b>D/M 402 - 160M/4B</b> <b>D/M 402 - 132M/4C</b>	124	82
	184.1	548	1.1	7.88	12.4	3.5			
	202.3	499	1.1	7.17	12.1	3.5			
	77.7	1298	1.1	18.67	19.5	5.6	<b>D/M 502 - 160M/4B</b> <b>D/M 502 - 132M/4C</b>	135	84

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>11.00</b>	85.9	1174	1.2	16.88	19.1	5.5	D/M 502 - 160M/4B D/M 502 - 132M/4C	135	84
	105.7	954	1.4	13.72	18.2	5.2			
	116.0	869	1.2	12.50	17.8	5.1			
	136.4	739	1.3	10.63	17.1	4.9			
	167.8	601	1.5	8.64	16.3	4.6			
	184.1	548	1.6	7.88	15.9	4.5			
	111.1	917	1.0	8.64	18.1	5.2	D 502 - 160L/6B M 502 - 160L/6B	148	84
	121.9	836	1.1	7.88	17.7	5.1			
	32.8	3074	1.0	44.19	30.0	9.0	D 602 - 132M/4C M 602 - 132M/4C	172	86
	34.8	2897	1.0	41.65	30.0	8.9	D/M 602 - 160M/4B D/M 602 - 132M/4C	172	86
	40.6	2484	1.2	35.72	30.0	8.8			
	42.7	2359	1.3	33.92	30.0	8.7			
	46.9	2152	1.4	30.95	30.0	8.6			
	49.9	2020	1.5	29.04	29.9	8.6			
	54.6	1846	1.6	26.54	29.5	8.4			
	61.3	1645	1.8	23.65	28.9	8.3			
	67.2	1501	1.9	21.58	28.4	8.1			
	31.0	3285	1.0	30.95	30.0	9.0	D 602 - 160L/6B M 602 - 160L/6B	185	86
	33.1	3082	1.0	29.04	30.0	9.0			
	36.2	2817	1.1	26.54	30.0	8.9			
	40.6	2510	1.2	23.65	30.0	8.8			
	44.5	2290	1.3	21.58	30.0	8.7			
	55.5	1836	1.5	17.30	29.5	8.4			
	68.2	1495	1.7	14.09	28.4	8.1			
74.7	1364	1.7	12.85	27.9	8.0				
82.4	1237	1.6	11.65	27.4	7.8				
101.1	1007	1.8	9.49	26.1	7.5				
110.9	919	1.7	8.66	25.6	7.3				
83.8	1203	2.2	17.30	27.1	7.8	D 602 - 160M/4B M 602 - 160M/4B	172	86	
102.9	980	2.4	14.09	25.9	7.4				
112.8	894	2.5	12.85	25.4	7.2				
124.4	811	2.3	11.65	24.8	7.1				
152.8	660	2.6	9.49	23.5	6.7				
167.5	602	2.5	8.66	23.0	6.6				
<b>15.00</b>	167.8	819	1.1	8.64	15.7	4.5	D 502 - 160L/4A M 502 - 160L/4A	144	84
	184.1	747	1.1	7.88	15.3	4.4			
	42.7	3217	0.9	33.92	27.3	7.8	D 602 - 160L/4A M 602 - 160L/4A	181	86
	46.9	2935	1.0	30.95	27.2	7.8			
	49.9	2754	1.1	29.04	27.1	7.7			
	54.6	2517	1.2	26.54	26.9	7.7			
	61.3	2243	1.3	23.65	26.6	7.6			
	67.2	2046	1.4	21.58	26.3	7.5			
	83.8	1640	1.6	17.30	25.5	7.3			
	102.9	1336	1.8	14.09	24.6	7.0			
	112.8	1219	1.8	12.85	24.1	6.9			
	124.4	1105	1.7	11.65	23.6	6.8			
	152.8	900	1.9	9.49	22.6	6.5			
	167.5	821	1.8	8.66	22.1	6.3			
	55.8	2491	1.1	17.30	26.8	7.7	D 602 - 180L/6A M 602 - 180L/6A	185	86
68.5	2028	1.2	14.09	26.3	7.5				
75.1	1851	1.2	12.85	26.0	7.4				
82.8	1678	1.2	11.65	25.6	7.3				
101.7	1367	1.3	9.49	24.7	7.1				
111.4	1247	1.3	8.66	24.3	6.9				
<b>18.50</b>	54.6	3104	1.0	26.54	24.6	7.0	D 602 - 180M/4B M 602 - 180M/4B	217	86
	61.3	2766	1.0	23.65	24.6	7.0			
	67.2	2524	1.1	21.58	24.5	7.0			
	83.8	2023	1.3	17.30	24.0	6.9			
	102.9	1648	1.5	14.09	23.3	6.7			
	112.8	1503	1.5	12.85	23.0	6.6			
	124.4	1363	1.4	11.65	22.6	6.5			
	152.8	1110	1.5	9.49	21.8	6.2			
	167.5	1013	1.5	8.66	21.4	6.1			
	102.2	1677	1.1	9.49	23.4	6.7	D 602 - 200L/6B M 602 - 200L/6B	262	86
	112.0	1530	1.0	8.66	23.1	6.6			

22.00kW  
30.00kW

$P_1$ [kW]	$n_2$ [Min <sup>-1</sup> ]	$M_2$ [Nm]	$f_B$	$i_{ges}$	Fr2 D [kN]	Fr2 C-L [kN]	Typ / Type / Tip Tipo / Type / Tipo	 Kg ~	 mm
<b>22.00</b>	67.4	2991	0.9	21.58	22.6	6.5	<b>D 602 - 180L/4B</b> <b>M 602 - 180L/4B</b>	225	86
	84.1	2398	1.1	17.30	22.5	6.4			
	103.3	1953	1.2	14.09	22.1	6.3			
	113.2	1782	1.2	12.85	21.9	6.3			
	124.8	1616	1.2	11.65	21.6	6.2			
	153.3	1316	1.3	9.49	21.0	6.0			
	168.0	1200	1.2	8.66	20.6	5.9			
	<b>30.00</b>	153.8	1788	1.0	9.49	19.1			
168.6		1631	0.9	8.66	19.0	5.4			